

ABSTRACT OF PROPOSAL
FOR
DEPARTMENT OF BUDGET AND FISCAL SERVICES - DIVISION OF PURCHASING

PROPOSAL NO. RFB-BFS-0900046
OPENED: September 29, 2008
By: RM & AW

For the furnishing and delivery of LEAD STORAGE BATTERIES to the City and County of Honolulu, Honolulu, Hawaii	IBS OF HAWAII	
<u>BCI Group (U-1)</u> Regular type battery Voltage 12 Minimum Months Warranty 24 Cold Crank Performance Amp. @ 0°F 300 Reserve Capacity Minutes @ 80°F 30 1) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 5 Unit Unit Bid Price Divided by Warranty Months:	Product Offered: 12 36 300 33 SP 35 INTERSTATE \$43.93 \$219.65 \$1.22	
<u>BCI Group 4D</u> Regular type battery Voltage 12 Minimum Months Warranty 24 Cold Crank Performance Amp. @ 0°F 1000 Reserve Capacity Minutes @ 80°F 320 2) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 31 Unit Unit Bid Price Divided by Warranty Months:	12 36 1000 295 4D-XHD INTERSTATE \$122.47 \$3,796.57 \$3.40	
<u>BCI Group 8D</u> Regular type battery <u>Top terminal type</u> No. of plates per cell 31 Length (<u>maximum, no excetions</u>) 21" Width (<u>maximum, no exceptions</u>) 11" Height, including caps (<u>maximum, no exceptions</u>) 9-3/4" Voltage 12 Minimum Months Warranty 40 Cold Crank Performance Amp. @ 0°F 1400 Reserve Capacity Minutes @ 80°F 450 Label: Provided with manufacturer/distributor identification label indicating product	31 21" 11" 9 3/4" 12 48 1400 450	

ABSTRACT OF PROPOSAL
FOR
DEPARTMENT OF BUDGET AND FISCAL SERVICES - DIVISION OF PURCHASING

PROPOSAL NO. RFB-BFS-0900046
OPENED: September 29, 2008
By: RM & AW

For the furnishing and delivery of LEAD STORAGE BATTERIES to the City and County of Honolulu, Honolulu, Hawaii	IBS OF HAWAII	
<p style="text-align: center;">no., CCA rating, required warning information, etc.</p> <p>3) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 41 Unit</p> <p style="text-align: center;">Unit Bid Price Divided by Warranty Months:</p>	<p style="text-align: center;">8D-MHD INTERSTATE</p> <p style="text-align: right;">\$145.51 \$5,965.91 \$3.03</p>	
<p><u>BCI Group 8D</u> Regular type battery <u>Top</u> terminal type No. of plates per cell 31 Length 21" Width 11" Height, max. 9-3/4" Voltage 12 Minimum Months Warranty 40 Cold Crank Performance Amp. @ 0°F 1400 Reserve Capacity Minutes @ 80°F 450 Label: Provided with manufacturer/distributor identification label indicating product no., CCA rating, required warning information, etc.</p> <p>4) Charge and Dry Battery I.D. No Battery Brand Name Bid Price 15 Unit</p>		NO BID
<p><u>BCI Group 8D</u> Regular type battery <u>Starting Type Battery</u> Side terminal, no exceptions, with Hex nuts 3/8" No. of plates per cell 31 Length (<u>maximum, no excetions</u>) 21" Width (<u>maximum, no exceptions</u>) 11" Height, including caps (<u>maximum, no exceptions</u>) 9-3/4" Approx weight: Wet: 127 lbs Dry: 104 lbs Voltage 12</p>	<p style="text-align: right;">31 21 11 9 3/4 124 104 12</p>	

ABSTRACT OF PROPOSAL
FOR
DEPARTMENT OF BUDGET AND FISCAL SERVICES - DIVISION OF PURCHASING

PROPOSAL NO. RFB-BFS-0900046
OPENED: September 29, 2008
By: RM & AW

For the furnishing and delivery of LEAD STORAGE BATTERIES to the City and County of Honolulu, Honolulu, Hawaii	IBS OF HAWAII	
<p>Minimum Months Warranty 40</p> <p>Cold Crank Performance Amp. @ 0°F 1400</p> <p>Reserve Capacity Minutes @ 80°F 450</p> <p>Label: Provided with manufacturer/distributor identification label indicating product no., CCA rating, required warning information, etc.</p> <p>5) Charge and Wet [Fill (electrolyte) to indicator level.] Battery I.D. No Battery Brand Name Bid Price 600 Unit</p> <p style="text-align: right;">Unit Bid Price Divided by Warranty Months:</p>	<p>48</p> <p>1375</p> <p>435</p> <p>U8D1400BUS INTERSTATE</p> <p>\$176.92 \$106,152.00 \$3.69</p>	
<p><u>BCI Group 8D - For Fire Apparatus</u></p> <p>Regular type battery</p> <p><u>Top terminal type</u></p> <p>No. of plates per cell 31</p> <p>Length (<u>maximum, no excetions</u>) 21"</p> <p>Width (<u>maximum, no exceptions</u>) 11.974"</p> <p>Height, (<u>maximum, no exeptions</u>) 9-3/4"</p> <p>Voltage 12</p> <p>Minimum Months Warranty 48</p> <p>Cold Crank Performance Amp. @ 0°F 1400</p> <p>Reserve Capacity Minutes @ 80°F 450</p> <p>Label: Provided with manufacturer/distributor identification label indicating product no., CCA rating, required warning information, etc.</p> <p>6) Charge and Wet [Fill (electrolyte) to indicator level.] Battery I.D. No Battery Brand Name Bid Price 50 Unit</p> <p style="text-align: right;">Unit Bid Price Divided by Warranty Months:</p>	<p>31</p> <p>21"</p> <p>11"</p> <p>9 3/4"</p> <p>12</p> <p>48</p> <p>1400</p> <p>450</p> <p>8D-MHD INTERSTATE</p> <p>\$145.51 \$7,275.50 \$3.03</p>	
<p><u>BCI Group 22NF</u></p> <p>Regular type battery</p> <p>Voltage 12</p> <p>Minimum Months Warranty 24</p> <p>Cold Crank Performance Amp. @ 0°F 390</p>	<p>12</p> <p>36</p> <p>390</p>	

ABSTRACT OF PROPOSAL
FOR
DEPARTMENT OF BUDGET AND FISCAL SERVICES - DIVISION OF PURCHASING

PROPOSAL NO. RFB-BFS-0900046
OPENED: September 29, 2008
By: RM & AW

For the furnishing and delivery of LEAD STORAGE BATTERIES to the City and County of Honolulu, Honolulu, Hawaii	IBS OF HAWAII	
Reserve Capacity Minutes @ 80°F 60 7) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 5 Unit Unit Bid Price Divided by Warranty Months:	62 SP-22NF INTERSTATE \$50.21 \$251.05 \$1.39	
<u>BCI Group 24</u> Regular type battery Voltage 12 Minimum Months Warranty 24 Cold Crank Performance Amp. @ 0°F 675 Reserve Capacity Minutes @ 80°F 120 8) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 8 Unit Unit Bid Price Divided by Warranty Months:	12 84 800 125 MTP-24 INTERSTATE \$82.68 \$661.44 \$0.98	
<u>BCI Group 24</u> Regular type battery Voltage 12 Minimum Months Warranty 24 Cold Crank Performance Amp. @ 0°F 800 Reserve Capacity Minutes @ 80°F 125 9) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 46 Unit Unit Bid Price Divided by Warranty Months:	12 84 800 125 MTP-24 INTERSTATE \$82.68 \$3,803.28 \$0.98	
<u>BCI Group 24F</u> Maintenance-free type battery, completely sealed. Voltage 12 Minimum Months Warranty 24 Cold Crank Performance Amp. @ 0°F 600 Reserve Capacity Minutes @ 80°F 125 10) Charge and Wet		

ABSTRACT OF PROPOSAL
FOR
DEPARTMENT OF BUDGET AND FISCAL SERVICES - DIVISION OF PURCHASING

PROPOSAL NO. RFB-BFS-0900046
OPENED: September 29, 2008
By: RM & AW

For the furnishing and delivery of LEAD STORAGE BATTERIES to the City and County of Honolulu, Honolulu, Hawaii	IBS OF HAWAII	
<p><u>BCI Group 27F</u> Regular type battery Voltage 12 Minimum Months Warranty 24 Cold Crank Performance Amp. @ 0°F 700 Reserve Capacity Minutes @ 80°F 120</p> <p>14) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 4 Unit</p> <p style="text-align: right;">Unit Bid Price Divided by Warranty Months:</p>	<p>12 85 710 165</p> <p>MTP-27F INTERSTATE \$69.11 \$276.44 \$0.81</p>	
<p><u>BCI Group 31</u> For RTS 06 Buses, Chance, Gillig Etc. Threaded Terminals, Centrally Located, Approximately an Inch from End. For Oahu Transit Service. Maintenance-free type battery, completely sealed. Shall be Delco 1150 Series Battery. <u>DO NOT SUBSTITUTE.</u> Delco 1150-A will be rejected.</p> <p>Length 13" Width 6-4/5" Height 9-2/5" Voltage 12 Minimum Months Warranty 24 Cold Crank Performance Amp. @ 0°F 700 Reserve Capacity Minutes @ 80°F 180 Weight 60 lbs Must have built-in hydrometer</p> <p>15) Charge and Wet Battery I.D. No Battery Brand Name Bid Price 340 Unit</p>	<p>NO BID</p>	
<p><u>BCI Group 31</u> Interstate #31VHD or Equal, Post terminals. Maintenance-free type battery, completely sealed. Length 13" Width 6-4/5"</p>	<p>Post terminals? Yes 13" 6 3/4"</p>	

ABSTRACT OF PROPOSAL
FOR
DEPARTMENT OF BUDGET AND FISCAL SERVICES - DIVISION OF PURCHASING

PROPOSAL NO. RFB-BFS-0900046
OPENED: September 29, 2008
By: RM & AW

For the furnishing and delivery of LEAD STORAGE BATTERIES to the City and County of Honolulu, Honolulu, Hawaii	IBS OF HAWAII	
<p>Height 9-2/5"</p> <p>Voltage 12</p> <p>Minimum Months Warranty 24</p> <p>Cold Crank Performance Amp. @ 0°F 700</p> <p>Reserve Capacity Minutes @ 80°F 160</p> <p>16) Charge and Wet</p> <p>Battery I.D. No</p> <p>Battery Brand Name</p> <p>Bid Price 118 Unit</p> <p style="text-align: right;">Unit Bid Price Divided by Warranty Months:</p>	<p>9 3/8"</p> <p>12</p> <p>36</p> <p>950</p> <p>195</p> <p>31P-MHD</p> <p>INTERSTATE</p> <p>\$99.43</p> <p>\$11,732.74</p> <p>\$2.76</p>	
<p><u>BCI Group 31</u></p> <p>Threaded Terminals, Centrally Located, Approximately an Inch from End. Regular type battery.</p> <p>Length 12-5/8"</p> <p>Width 6-1/2"</p> <p>Height 8-1/2"</p> <p>Voltage 12</p> <p>Minimum Months Warranty 24</p> <p>Cold Crank Performance Amp. @ 0°F 900</p> <p>Reserve Capacity Minutes @ 80°F 160</p> <p>17) Charge and Wet</p> <p>Battery I.D. No</p> <p>Battery Brand Name</p> <p>Bid Price 553 Unit</p> <p style="text-align: right;">Unit Bid Price Divided by Warranty Months:</p>	<p>13</p> <p>6 3/4</p> <p>9 3/8"</p> <p>12</p> <p>36</p> <p>950</p> <p>195</p> <p>31-MHD</p> <p>INTERSTATE</p> <p>\$92.10</p> <p>\$50,931.30</p> <p>\$2.56</p>	
<p><u>BCI Group 31</u></p> <p>Optima D31T or equivalent Maintenance-free type battery, completely sealed.</p> <p>Length 12-13/16"</p> <p>Width 6-1/2"</p> <p>Height 9-3/8"</p> <p>Voltage 12</p> <p>Minimum Months Warranty 24</p> <p>Cold Crank Performance Amp. @ 0°F 900</p> <p>Reserve Capacity Minutes @ 80°F 155</p>	<p>12 13/16</p> <p>6 1/2"</p> <p>9 3/8"</p> <p>12</p> <p>24</p> <p>900</p> <p>155</p>	

ABSTRACT OF PROPOSAL
FOR
DEPARTMENT OF BUDGET AND FISCAL SERVICES - DIVISION OF PURCHASING

PROPOSAL NO. RFB-BFS-0900046
OPENED: September 29, 2008
By: RM & AW

For the furnishing and delivery of LEAD STORAGE BATTERIES to the City and County of Honolulu, Honolulu, Hawaii	IBS OF HAWAII																																																																																																	
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Minimum Months Warranty</td> <td style="width: 10%; text-align: right;">36</td> <td style="width: 40%;"></td> </tr> <tr> <td>Cold Crank Performance Amp. @ 0°F</td> <td style="text-align: right;">750</td> <td></td> </tr> <tr> <td>Reserve Capacity Minutes @ 80°F</td> <td style="text-align: right;">100</td> <td></td> </tr> <tr> <td>Length</td> <td style="text-align: right;">10-1/8"</td> <td></td> </tr> <tr> <td>Width</td> <td style="text-align: right;">7"</td> <td></td> </tr> <tr> <td>Height</td> <td style="text-align: right;">8"</td> <td></td> </tr> <tr> <td colspan="3">21) Charge and Wet</td> </tr> <tr> <td>Battery I.D. No</td> <td></td> <td style="text-align: center;">SC34DM</td> </tr> <tr> <td>Battery Brand Name</td> <td></td> <td style="text-align: center;">OPTIMA</td> </tr> <tr> <td>Bid Price</td> <td style="text-align: right;">5 Unit</td> <td style="text-align: right;">\$154.10</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">\$770.50</td> </tr> <tr> <td colspan="2" style="text-align: right;">Unit Bid Price Divided by Warranty Months:</td> <td style="text-align: right;">\$4.28</td> </tr> </table>	Minimum Months Warranty	36		Cold Crank Performance Amp. @ 0°F	750		Reserve Capacity Minutes @ 80°F	100		Length	10-1/8"		Width	7"		Height	8"		21) Charge and Wet			Battery I.D. No		SC34DM	Battery Brand Name		OPTIMA	Bid Price	5 Unit	\$154.10			\$770.50	Unit Bid Price Divided by Warranty Months:		\$4.28	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"></td> <td style="width: 10%; text-align: right;">36</td> <td style="width: 40%;"></td> </tr> <tr> <td></td> <td style="text-align: right;">750</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">120</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">10"</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">6 7/8</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">7 15/16</td> <td></td> </tr> <tr> <td colspan="3">21) Charge and Wet</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">SC34DM</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">OPTIMA</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">\$154.10</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">\$770.50</td> </tr> <tr> <td colspan="2" style="text-align: right;">Unit Bid Price Divided by Warranty Months:</td> <td style="text-align: right;">\$4.28</td> </tr> </table>		36			750			120			10"			6 7/8			7 15/16		21) Charge and Wet					SC34DM			OPTIMA			\$154.10			\$770.50	Unit Bid Price Divided by Warranty Months:		\$4.28																									
Minimum Months Warranty	36																																																																																																	
Cold Crank Performance Amp. @ 0°F	750																																																																																																	
Reserve Capacity Minutes @ 80°F	100																																																																																																	
Length	10-1/8"																																																																																																	
Width	7"																																																																																																	
Height	8"																																																																																																	
21) Charge and Wet																																																																																																		
Battery I.D. No		SC34DM																																																																																																
Battery Brand Name		OPTIMA																																																																																																
Bid Price	5 Unit	\$154.10																																																																																																
		\$770.50																																																																																																
Unit Bid Price Divided by Warranty Months:		\$4.28																																																																																																
	36																																																																																																	
	750																																																																																																	
	120																																																																																																	
	10"																																																																																																	
	6 7/8																																																																																																	
	7 15/16																																																																																																	
21) Charge and Wet																																																																																																		
		SC34DM																																																																																																
		OPTIMA																																																																																																
		\$154.10																																																																																																
		\$770.50																																																																																																
Unit Bid Price Divided by Warranty Months:		\$4.28																																																																																																
<table style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3"><u>BCI Group 34</u></td> </tr> <tr> <td colspan="3">800U Optima Battery. <u>DO NOT SUBSTITUTE.</u></td> </tr> <tr> <td colspan="3">Dual terminals (side & post).</td> </tr> <tr> <td colspan="3">Maintenance-free type battery</td> </tr> <tr> <td>Voltage</td> <td style="text-align: right;">12</td> <td style="text-align: right;">12</td> </tr> <tr> <td>Minimum Months Warranty</td> <td style="text-align: right;">72</td> <td style="text-align: right;">72</td> </tr> <tr> <td>Cold Crank Performance Amp. @ 0°F</td> <td style="text-align: right;">800</td> <td style="text-align: right;">800</td> </tr> <tr> <td>Reserve Capacity Minutes @ 80°F</td> <td style="text-align: right;">120</td> <td style="text-align: right;">100</td> </tr> <tr> <td>Length</td> <td style="text-align: right;">9-15/16"</td> <td style="text-align: right;">10"</td> </tr> <tr> <td>Width</td> <td style="text-align: right;">6-1/2"</td> <td style="text-align: right;">6 7/8</td> </tr> <tr> <td>Height</td> <td style="text-align: right;">7-13/16"</td> <td style="text-align: right;">7 13/16"</td> </tr> <tr> <td>Weight</td> <td style="text-align: right;">39.5 lbs</td> <td style="text-align: right;">41</td> </tr> <tr> <td colspan="3">22) Charge and Wet</td> </tr> <tr> <td>Battery I.D. No</td> <td></td> <td style="text-align: center;">800U</td> </tr> <tr> <td>Battery Brand Name</td> <td></td> <td style="text-align: center;">OPTIMA</td> </tr> <tr> <td>Bid Price</td> <td style="text-align: right;">92 Unit</td> <td style="text-align: right;">\$139.95</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">\$12,875.40</td> </tr> <tr> <td colspan="2" style="text-align: right;">Unit Bid Price Divided by Warranty Months:</td> <td style="text-align: right;">\$1.94</td> </tr> </table>	<u>BCI Group 34</u>			800U Optima Battery. <u>DO NOT SUBSTITUTE.</u>			Dual terminals (side & post).			Maintenance-free type battery			Voltage	12	12	Minimum Months Warranty	72	72	Cold Crank Performance Amp. @ 0°F	800	800	Reserve Capacity Minutes @ 80°F	120	100	Length	9-15/16"	10"	Width	6-1/2"	6 7/8	Height	7-13/16"	7 13/16"	Weight	39.5 lbs	41	22) Charge and Wet			Battery I.D. No		800U	Battery Brand Name		OPTIMA	Bid Price	92 Unit	\$139.95			\$12,875.40	Unit Bid Price Divided by Warranty Months:		\$1.94	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"></td> <td style="width: 10%; text-align: right;">12</td> <td style="width: 40%;"></td> </tr> <tr> <td></td> <td style="text-align: right;">72</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">800</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">100</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">10"</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">6 7/8</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">7 13/16"</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">41</td> <td></td> </tr> <tr> <td colspan="3">22) Charge and Wet</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">800U</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">OPTIMA</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">\$139.95</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">\$12,875.40</td> </tr> <tr> <td colspan="2" style="text-align: right;">Unit Bid Price Divided by Warranty Months:</td> <td style="text-align: right;">\$1.94</td> </tr> </table>		12			72			800			100			10"			6 7/8			7 13/16"			41		22) Charge and Wet					800U			OPTIMA			\$139.95			\$12,875.40	Unit Bid Price Divided by Warranty Months:		\$1.94	
<u>BCI Group 34</u>																																																																																																		
800U Optima Battery. <u>DO NOT SUBSTITUTE.</u>																																																																																																		
Dual terminals (side & post).																																																																																																		
Maintenance-free type battery																																																																																																		
Voltage	12	12																																																																																																
Minimum Months Warranty	72	72																																																																																																
Cold Crank Performance Amp. @ 0°F	800	800																																																																																																
Reserve Capacity Minutes @ 80°F	120	100																																																																																																
Length	9-15/16"	10"																																																																																																
Width	6-1/2"	6 7/8																																																																																																
Height	7-13/16"	7 13/16"																																																																																																
Weight	39.5 lbs	41																																																																																																
22) Charge and Wet																																																																																																		
Battery I.D. No		800U																																																																																																
Battery Brand Name		OPTIMA																																																																																																
Bid Price	92 Unit	\$139.95																																																																																																
		\$12,875.40																																																																																																
Unit Bid Price Divided by Warranty Months:		\$1.94																																																																																																
	12																																																																																																	
	72																																																																																																	
	800																																																																																																	
	100																																																																																																	
	10"																																																																																																	
	6 7/8																																																																																																	
	7 13/16"																																																																																																	
	41																																																																																																	
22) Charge and Wet																																																																																																		
		800U																																																																																																
		OPTIMA																																																																																																
		\$139.95																																																																																																
		\$12,875.40																																																																																																
Unit Bid Price Divided by Warranty Months:		\$1.94																																																																																																
<table style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3"><u>BCI Group 35</u></td> </tr> <tr> <td colspan="3">Regular type battery for Ford Escort S/W, Motorcraft BX-35</td> </tr> <tr> <td>Voltage</td> <td style="text-align: right;">12</td> <td style="text-align: right;">12</td> </tr> <tr> <td>Minimum Months Warranty</td> <td style="text-align: right;">24</td> <td style="text-align: right;">75</td> </tr> <tr> <td>Cold Crank Performance Amp. @ 0°F</td> <td style="text-align: right;">525</td> <td style="text-align: right;">550</td> </tr> <tr> <td>Reserve Capacity Minutes @ 80°F</td> <td style="text-align: right;">100</td> <td style="text-align: right;">110</td> </tr> <tr> <td colspan="3">23) Charge and Wet</td> </tr> </table>	<u>BCI Group 35</u>			Regular type battery for Ford Escort S/W, Motorcraft BX-35			Voltage	12	12	Minimum Months Warranty	24	75	Cold Crank Performance Amp. @ 0°F	525	550	Reserve Capacity Minutes @ 80°F	100	110	23) Charge and Wet			<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"></td> <td style="width: 10%; text-align: right;">12</td> <td style="width: 40%;"></td> </tr> <tr> <td></td> <td style="text-align: right;">75</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">550</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">110</td> <td></td> </tr> <tr> <td colspan="3">23) Charge and Wet</td> </tr> </table>		12			75			550			110		23) Charge and Wet																																																															
<u>BCI Group 35</u>																																																																																																		
Regular type battery for Ford Escort S/W, Motorcraft BX-35																																																																																																		
Voltage	12	12																																																																																																
Minimum Months Warranty	24	75																																																																																																
Cold Crank Performance Amp. @ 0°F	525	550																																																																																																
Reserve Capacity Minutes @ 80°F	100	110																																																																																																
23) Charge and Wet																																																																																																		
	12																																																																																																	
	75																																																																																																	
	550																																																																																																	
	110																																																																																																	
23) Charge and Wet																																																																																																		

