

| | | | | Aloha Petroleum, LLC | | Garlow Petroleum, Inc. | | Hawaii Truck Parts, Sales and Services, LLC | | Hawaiian Isles Petroleum, LLC | | Island Oil & Supply Co., Inc. | | NAPA Hawaii | | Parts Warehouse Distributors, Inc. | | Pennzoil Distributors of Hawaii, Inc. | |
|----------|--|--------------------|-----------------|-----------------------|----------------|---|----------------|---|----------------|---|----------------|-------------------------------|--|--|----------------|--|----------------|---------------------------------------|----------------|
| Item No. | DESCRIPTION | ESTIMATED QUANTITY | Unit of Measure | Unit Price | Extended Price | Unit Price | Extended Price | Unit Price | Extended Price | Unit Price | Extended Price | Unit Price | Extended Price | Unit Price | Extended Price | Unit Price | Extended Price | Unit Price | Extended Price |
| 1 | OIL, Motor, Single-Viscosity Grade, SAE 10 . Must meet API Service Classification CF, SJ. TBN min 8.9, sulfated ash, wt.% maximum .99. Brand Name and NO. of Product Offered:_____ | 2 | Per Drum | Citgo 600 10W | | No Bid | | No Bid | | No Bid | | No Bid | | Valvoline All Fleet Plus SAE 10 VV3909 | No Bid | | No Bid | | |
| | Bid price shall be based on deliveries in returnable 55 gal. drums. Minimum of one (1) drum per delivery. Drum holds 55 gallons, estimate 110 gallons, 2 drums. | | | \$ 625.09 | \$ 1,250.18 | X | X | X | X | X | X | X | X | X | X | \$ 757.39 | \$ 1,514.78 | X | X |
| 2 | Bid price shall be based on deliveries in cases of 12 qt. containers. Minimum of one (1) case per delivery. Case holds 12 Quarts. | 2 | Per Case | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| 3 | OIL, Motor, Single-Viscosity Grade, API Service Classification SL, SAE 30 . Brand Name and NO. of Product Offered:_____ | 26 | Per Case | Super S 30W | | No Bid | | No Bid | | No Bid | | Valvoline All Fleet Plus 30W | Valvoline All Fleet Plus SAE 30 VV3 | No Bid | | No Bid | | | |
| | Bid price shall be based on deliveries in cases of 12 qt. containers. Minimum of one (1) case per delivery. Case holds 12 Quarts. | | | \$ 27.24 | \$ 708.24 | X | X | X | X | X | X | \$ 39.06 | \$ 1,015.56 | X | X | X | X | X | X |
| 4 | Bid price shall be based on deliveries in non-returnable 5-gal. pails. Minimum of one (1) pail per delivery. Pail hold 5 gallons. | 2 | Per Pail | \$ 40.33 | \$ 80.66 | X | X | X | X | X | X | \$ 53.30 | \$ 106.60 | \$ 75.42 | \$ 150.84 | X | X | X | X |
| 5 | Bid price shall be based on deliveries in returnable 55 gal. drums. Minimum of one (1) drum per delivery. Drum holds 55 gallons. | 2 | Per Drum | \$ 432.16 | \$ 864.32 | X | X | X | X | X | X | \$ 497.20 | \$ 994.40 | \$ 768.96 | \$ 1,537.92 | X | X | X | X |
| 6 | OIL, Motor, Multi-Viscosity Grade, SAE 5W-20, Fully Synthetic . Must meet Ford Motor Company's Specifications WSS-M2C945-A . Brand Name and NO. of Product Offered:_____ | 108 | Per Drum | Super S 5W20 SYN | | Chevron Havoline ProDS Full Synthetic 5W-20 | | Petro-Canada America Supreme Synthetic | | No Bid | | Valvoline Maxlife SYN 5W20 | Valvoline Maxlife 5W20 809331 | Motorcraft X05W20DFS and X05W20QFS | | Lubrigold Full Synthetic 5W-20 Coastal CTL405026 | | | |
| | Bid price shall be based on deliveries in returnable 55 gal. drums. Minimum of one (1) drum per delivery. Drum holds 55 gallons. | | | \$ 509.91 | \$ 55,070.28 | \$ 1,425.60 | \$ 153,964.80 | \$ 1,257.44 | \$ 135,803.52 | X | X | \$ 768.35 | \$ 82,981.80 | \$ 883.28 | \$ 95,384.24 | \$ 744.36 | \$ 80,390.88 | \$ 490.68 | \$ 52,993.44 |
| 7 | Bid price shall be based on deliveries in cases of 12 qt. containers. Minimum of one (1) case per delivery. Case holds 12 Quarts.. | 2 | Per Case | \$ 17.28 | \$ 34.56 | \$ 79.95 | \$ 159.90 | \$ 71.52 | \$ 143.04 | X | X | \$ 53.43 | \$ 106.86 | \$ 22.51 | \$ 45.02 | \$ 54.24 | \$ 108.48 | X | X |
| 8 | OIL, Motor, Multi-Viscosity Grade, SAE 5W-30 and 5W- 40 . Must meet API Classifications of "SG" and "SL" designations. SAE 5W-30 Synthetic , must meet Ford specification: WSS-M2C946-A. Brand Name and NO. of Product Offered:_____ | 2 | Per Drum | Super S 5W30 | | No Bid | | Petro-Canada America Supreme Synthetic | | No Bid | | Valvoline Maxlife SYN 5W30 | Valvoline Synpower 5W30 691759 | Motorcraft X05W30DFS and X05W30QFS | | No Bid | | | |
| | Bid price shall be based on deliveries in returnable 55 gal. drums. Minimum of one (1) drum per delivery. Drum holds 55 gallons. | | | \$ 495.51 | \$ 991.02 | X | X | \$ 1,257.44 | \$ 2,514.88 | X | X | \$ 768.35 | \$ 1,536.70 | \$ 1,081.05 | \$ 2,162.10 | \$ 744.36 | \$ 1,488.72 | X | X |
| 9 | Bid price shall be based on deliveries in cases of 12 qt. containers. Minimum of one (1) case per delivery. Case holds 12 Quarts. | 6 | Per Case | \$ 16.97 | \$ 101.82 | X | X | \$ 71.52 | \$ 429.12 | X | X | \$ 53.43 | \$ 320.58 | \$ 49.81 | \$ 298.86 | \$ 54.24 | \$ 325.44 | X | X |
| 10 | SAE 5W-40 Synthetic , must meet Ford Specifications: WSS-M2C171-E. Brand Name and NO. of Product Offered:_____ | 2,000 | Per Gallon | Motor Craft X05W40DSP | | No Bid | | No Bid | | Total Rubia TIR 7900 Synthetic NA SAE 5W-40 | | P66 Triton ECT Diesel 5W40 | Valvoline Premium Blue Extreme 5W40 #VV70516 | Motorcraft X05W40DFS and X05W40QFS | | No Bid | | | |
| | Bid price shall be based on a minimum of 500 gallons in bulk per delivery. The Contractor | | | \$ 21.40 | \$ 42,800.00 | X | X | X | X | \$ 14.06 | \$ 28,060.00 | \$ 15.04 | \$ 30,080.00 | X | X | X | X | X | X |
| 11 | Bid price shall be based on deliveries in returnable 55 gal. drums. Minimum of one (1) drum per delivery. Drum holds 55 gallons. | 6 | Per Drum | \$ 1,176.82 | \$ 7,060.92 | X | X | X | X | \$ 771.73 | \$ 4,630.38 | \$ 827.20 | \$ 4,963.20 | \$ 1,195.10 | \$ 7,170.60 | \$ 935.11 | \$ 5,610.66 | X | X |
| 12 | Bid price shall be based on deliveries in cases of 12 qt. containers. Minimum of one (1) case per delivery. Case holds 12 Quarts. | 4 | Per Case | \$ 40.85 | \$ 163.40 | X | X | X | X | X | X | \$ 49.14 | \$ 196.56 | X | X | \$ 74.76 | \$ 299.04 | X | X |
| 13 | OIL, Motor, Multi-Viscosity Grade, SAE 10W-30 . Must meet API Service Classification CE, CD/SG and Caterpillar TO-2 Fluid Specifications. SAE 10W-30 Brand Name and NO. of Product Offered:_____ | 2 | Per Drum | Super S 10W30 | | No Bid | | No Bid | | No Bid | | P66 Fleet Supreme EC 10W30 | Valvoline Premium Blue 10W30 817317 | No Bid | | No Bid | | | |
| | Bid price shall be based on deliveries in returnable 55 gal. drums. Minimum of one (1) drum per delivery. Drum holds 55 gallons.. | | | \$ 501.27 | \$ 1,002.54 | X | X | X | X | X | X | \$ 539.00 | \$ 1,078.00 | \$ 881.37 | \$ 1,762.74 | X | X | X | X |

| | | | | | | | | | | | | | | | | | |
|----|---|-------|------------|-------------------------|--------|--------|--------|---|----------------------------|---------------------------------------|--------------------------|---------------------|--------|---|---|---|---|
| 38 | OIL, Power Steering, meets service auto manufacturer's power steering requirements, be compatible and can be mixed with GM #1050017, Chrysler Spec 5931, Ford Spec M2C128 C & D, AMC Spec 4060 power steering fluids. Equal to Pyroil, Solder Seal M27-13P or Car Quest 57000. Brand Name and NO. of Product Offered: _____ | 10 | Per Case | Super S Power Steer | No Bid | No Bid | No Bid | | | Valvoline Pyroil Power Steering Fluid | Valvoline Power Steering | No Bid | No Bid | | | | |
| | Bid price shall be based on deliveries of twelve (12) 12 fluid oz. container per case. Minimum of one (1) case per delivery. Case holds 12/12 oz. (total of 144 oz.). | | | \$ 12.36 \$ 123.60 | X | X | X | X | X | \$ 15.85 \$ 158.50 | \$ 28.67 \$ 286.70 | X | X | X | X | | |
| 39 | GREASE, Multi-Purpose, Union Unoba EP2 Green NGLI 0 or 00, or Chevron Ultra-Duty Grease EP NLGI 0, or Chevron Dura-Lith Grease EP NGLI 0 or 00. Brand Name and NO. of Product Offered: _____ | 2 | Per Pail | Super S MP Grease | No Bid | No Bid | No Bid | | | P66 UNOBA EP 00 | No Bid | No Bid | No Bid | | | | |
| | Bid price shall be based on deliveries in non-returnable 35 lb. pails. Minimum of one (1) pail per delivery. Pail hold 35 lbs. | | | \$ 54.71 \$ 109.42 | X | X | X | X | X | \$ 75.25 \$ 150.50 | X | X | X | X | X | X | X |
| 40 | GREASE, Multi-Purpose, Red, lithium complex soap, base oil and fortified with additive, NLGI Grade 2, penetration @ 25°C ADTM worked - 325, texture -smooth; Timken OK load - 80 lbs.; dropping point - 271°C; viscosity index - 75; flashpoint 242 °C V.I., Unocal Multiplex EP. Brand Name and NO. of Product Offered: _____ | 8 | Per Drum | Super S MP Grease Red | No Bid | No Bid | No Bid | | | P66 Multiplex Red #2 | Valvoline Cerulean #2 | No Bid | No Bid | | | | |
| | Bid prices shall be based on deliveries of returnable 120 lb. drums. Minimum of one (1) drum per delivery. Drum holds 120 lbs. | | | \$ 210.45 \$ 1,683.60 | X | X | X | X | X | \$ 327.60 \$ 2,620.80 | \$ 334.74 \$ 2,677.92 | X | X | X | X | | |
| 41 | Bid prices shall be based on deliveries of returnable 35 lb. pails. Minimum of one (1) pail per delivery. Pail holds 35 lbs. | 2 | Per Pail | | | | | | | \$ 99.40 \$ 198.80 | \$ 98.03 \$ 196.06 | X | X | X | X | | |
| 42 | Lubriplate 1200-2: NLGI NO.2 grade grease. DO NOT SUBSTITUTE. Lithium base non-corrosive, water repellent, specifically designed as one lubricant to take care of wheel bearings, all chassis points including ball joints, universal joints, fire pumps and fifth wheels. Dropping Point 400 degrees, color (beige), wheel bearing test 0.35 grams leakage. Shall pass Timken OK Load, 40 lbs. Brand Name and NO. of Product Offered: _____ | 1 | Per Drum | Lubriplate 1200-2 | No Bid | No Bid | No Bid | | | No Bid | Valvoline Crimson #2 | No Bid | No Bid | | | | |
| | Bid prices shall be based on deliveries returnable 400 lb. drums. Minimum of one (1) drum per delivery. Drum holds 400 lbs. | | | \$ 2,599.37 \$ 2,599.37 | X | X | X | X | X | X | \$ 1,040.89 \$ 1,040.89 | X | X | X | X | | |
| 43 | Bid prices shall be based on deliveries returnable 120 lb. drums. Minimum of one (1) drum per delivery. Drum holds 120 lbs. | 2 | Per Drum | | | | | | | X | X | \$ 269.96 \$ 539.92 | X | X | X | X | |
| 44 | Bid price shall be based on deliveries of ten (10) 14 oz. cartridge per case. Minimum of one (1) case per delivery. Case holds 10/14 oz. (total 140 oz). | 3 | Per Case | | | | | | | X | X | X | X | X | X | | |
| 45 | Synthetic Transfluid, Transynd, meeting Allison Transmissions specifications for severe duty and extended crawl intervals (TES-295) or approved equal. SuperSyn is an acceptable substitution. Brand Name and NO. of Product Offered: _____ | 6 | Per Drum | No Bid | No Bid | No Bid | | | Mobil Delvac Synthetic ATF | Castrol Transynd | EMGARD | No Bid | No Bid | | | | |
| | Bid price shall be based on deliveries in returnable 55 gal. drums.. | | | X | X | X | X | X | \$ 1,358.59 \$ 5,434.36 | \$ 1,695.65 \$ 10,173.90 | \$ 2,116.31 \$ 12,697.86 | X | X | X | X | | |
| 46 | Bid price shall be based on a minimum of 400 gallons in bulk per delivery. The Contractor shall fill the City's tank. | 5,000 | Per Gallon | | | | | | | \$ 24.70 \$ 123,500.00 | \$ 30.83 \$ 154,150.00 | X | X | X | X | X | X |