

REPORT OF THE COMMITTEE ON EXECUTIVE MATTERS AND LEGAL AFFAIRS

Voting Members

Ron Menor, Chair; Carol Fukunaga, Vice-Chair,
Ikaika Anderson, Stanley Chang, Breene Harimoto, Ann H. Kobayashi,
Joey Manahan, Ernest Y. Martin, Kymberly Marcos Pine

Committee Meeting Held
March 18, 2014

Honorable Ernest Y. Martin
Chair, City Council
City and County of Honolulu

Mr. Chair:

Your Committee on Executive Matters and Legal Affairs, to which was referred Resolution 14-24 entitled:

"RESOLUTION (FOR CONDEMNATION) PROVIDING FOR THE ACQUISITION OF EASEMENTS FOR PUBLIC USE, TO WIT: KANEOHE/KAILUA SEWER TUNNEL, SITUATE AT KANEOHE/KAILUA, KOOLAUPOKO, OAHU, HAWAII, AND DETERMINING AND DECLARING THE NECESSITY OF THE ACQUISITION THEREOF BY EMINENT DOMAIN,"

transmitted by Communication D-44, dated January 27, 2014, from Deputy Corporation Counsel Winston K.Q. Wong, reports as follows:

The purpose of this Resolution is to authorize the acquisition of sewer and construction easements for the Kaneohe/Kailua Sewer Tunnel project at Kaneohe/Kailua, Koolauoko.

Deputy Director Mark Yonamine and Assistant Wastewater Division Chief Guy Inouye of the Department of Design and Construction and the project's consultant John Katahira of the Limtiaco Consulting Group testified in support of Resolution 14-24. They provided to the committee 1) briefing of the meetings with Aikahi Gardens, 2) recap of the intent of the resolution and the necessity for the resolution and 3) summary comments.

CITY COUNCIL
CITY AND COUNTY OF HONOLULU
HONOLULU, HAWAII

ADOPTED ON APR 16 2014

COMMITTEE REPORT NO. 73

**REPORT OF THE COMMITTEE ON
EXECUTIVE MATTERS AND LEGAL AFFAIRS**

Voting Members


Ron Menor, Chair; Carol Fukunaga, Vice-Chair,
Ikaika Anderson, Stanley Chang, Breene Harimoto, Ann H. Kobayashi,
Joey Manahan, Ernest Y. Martin, Kymberly Marcos Pine

Committee Meeting Held
March 18, 2014
Page 2

Three individuals testified in opposition to the Resolution. Your Committee received five written testimonies in opposition to the Resolution.

Your Committee on Executive Matters and Legal Affairs is in accord with the intent and purpose of Resolution 14-24 and recommends that it be laid over at the April 16, 2014 Council meeting, be published, and thereafter be adopted at a subsequent Council meeting. (Ayes: Anderson, Chang, Fukunaga, Harimoto, Kobayashi, Manahan, Pine, Menor - 8; Noes: None; Excused: Martin - 1.)

Respectfully submitted,


Committee Chair

At the 4/16/14 Council meeting, the Resolution was amended and laid over and ordered published in the form attached hereto as Resolution 14-24, FD1

15:14:44
4-16-2014
1330

CITY COUNCIL
CITY AND COUNTY OF HONOLULU
HONOLULU, HAWAII

ADOPTED ON APR 16 2014

COMMITTEE REPORT NO. 73



RESOLUTION

(FOR CONDEMNATION)

PROVIDING FOR THE ACQUISITION OF EASEMENTS FOR PUBLIC USE, TO WIT: KANEOHE/KAILUA SEWER TUNNEL, SITUATE AT KANEOHE/KAILUA, KOOLAUPOKO, OAHU, HAWAII, AND DETERMINING AND DECLARING THE NECESSITY OF THE ACQUISITION THEREOF BY EMINENT DOMAIN.

BE IT RESOLVED by the Council of the City and County of Honolulu:

I.

That for public use and purpose, to wit: Kaneohe/Kailua Sewer Tunnel, Parcels 1-X, 2-X, C-1, C-2, and C-3 (TMK: 4-5-030-001), Parcel C-4 (TMKs: 4-5-030-001 and 4-5-030-020), Parcel 4 (TMK: 4-5-100-052), Parcel 5 (TMK: 4-5-101-033), Parcel 6 (TMK: 4-5-100-003), Parcel 7 (TMK: 4-5-100-002), Parcel 8 (TMK: 4-5-100-001), Parcel 9 (TMK: 4-5-101-037), Parcel 10 (TMK: 4-5-032-001:0002), Parcel 11 (TMK: 4-5-031-076), Parcel 13 (TMK: 4-2-017-001), Parcel 17 (4-2-017-018), Parcels 19 and 20 (TMK: 4-4-012-064), Parcel 21 (TMK: 4-4-012-001), Parcel 22 (TMK: 4-4-011-003), and Parcel 23-X (TMK: 4-4-011-082), situate at Kaneohe/Kailua, Koolaupoko, Oahu, Hawaii, proceedings in eminent domain as provided by law be instituted for the acquisition of sewer easements over, under, through, and across Parcels 1-X, 2-X, 4, 5, 6, 7, 8, 9, 10, 11, 13, 17, 19, 20, 21, 22, and Parcel 23-X, and construction easements over, under, through, and across Parcels C-1, C-2, C-3, and C-4, the descriptions of which parcels of land are attached hereto and made a part hereof, and that the Corporation Counsel of the City and County of Honolulu be and she is hereby authorized and empowered to institute the said proceedings.

That this acquisition by eminent domain is necessary for the aforesaid public use and purpose.

II.

That in the process of said proceedings in eminent domain, the Corporation Counsel be and she is hereby authorized and empowered to negotiate terms of settlement, subject to the approval of this Council and/or of the Court before which such proceedings are commenced.



RESOLUTION

BE IT FINALLY RESOLVED that copies of this resolution be transmitted to the Department of Design and Construction and to the Department of the Corporation Counsel.

INTRODUCED BY:

Ernest Martin (BR)

DATE OF INTRODUCTION:

January 28, 2014
Honolulu, Hawaii

Councilmembers

APPROVED this _____ day of _____, 20____.

KIRK CALDWELL, Mayor
City and County of Honolulu



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 1-X

Sewer Easement (Construction not allowed)

Being portions of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the Northeast corner of this parcel of land and on the Northwest side of Kaneohe Bay Drive (F.A.S.P. No. S-230(1)), the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 8,202.73 feet North and 2,507.84 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-2, and running by azimuths measured clockwise from true South:

1. Along the Northwest side of Kaneohe Bay Drive (Project No. F.A.S.P. No. S-230(1)), on a curve to the right with a radius of 530.00 feet, the chord azimuth and distance being 53° 39' 44" 40.05 feet;
2. 140° 42' 10" 974.43 feet along remainders of R. P. 5583, L.C. Aw. 2937, Part 10, Section 3 to William Harbottle and R.P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa;
3. Thence along remainders of R. P. 973, L.C. Aw. 4481, Ap. 2 to Honuaiwa and R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the left with a radius of 980.00 feet, the chord azimuth and distance being 135° 58' 54" 161.32 feet;
4. 232° 12' 40.71 feet along remainder of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama;



RESOLUTION

5. Thence along remainders of R. P. 7984, L.C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuuiwa, on a curve to the right with a radius of 1,020.00 feet, the chord azimuth and distance being 316° 11' 55" 160.20 feet;
6. 320° 42' 10" 805.36 feet along remainders of R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuuiwa and R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
7. 346° 07' 51.46 feet along Lot C (Map 1) of Land Court Application 1271;
8. 267° 16' 27.50 feet along same;
9. 320° 42' 10" 108.27 feet along the remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle to the point of beginning and containing an area of 44,769 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 2-X
 Sewer Easement (Construction not allowed)

Being a portion of Lot C (Map 1) of Land Court Application 1271 and covered by Transfer Certificate of Title No. 1036543. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the East corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 8,286.51 feet North and 2,576.41 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-2, and running by azimuths measured clockwise from true South:

- | | | | |
|----|--------------|------------|--|
| 1. | 87° 16' | 27.50 feet | along R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle; |
| 2. | 166° 07' | 51.46 feet | along same; |
| 3. | 320° 42' 10" | 62.86 feet | along remainder of Lot C (Map 1) of Land Court Application 1271 to the point of beginning and containing an area of 694 square feet. |



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL C-1
 Construction Easement

Being portions of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the Northwest corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 9,092.72 feet North and 3,213.08 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-2, and running by azimuths measured clockwise from true South:

1. Along remainders of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa, on a curve to the right with a radius of 1,050.00 feet, the chord azimuth and distance being 316° 21' 01" 159.37 feet;
2. 320° 42' 10" 203.30 feet along remainders of R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa and R.P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
3. 50° 42' 10" 30.00 feet along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
4. 140° 42' 10" 203.30 feet along remainders of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa;



RESOLUTION

5. Thence along remainders of R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the left with a radius of 1,020.00 feet, the chord azimuth and distance being $136^{\circ} 11' 55''$ 160.20 feet;
6. $232^{\circ} 12'$ 30.50 feet along remainder of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama to the point of beginning and containing an area of 10,898 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL C-2
Construction Easement

Being portions of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 973 L. C. Aw. 4481, Ap. 2 to Honuaiwa, Grant 9384, Ap. 6 to Harold K. L. Castle, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and Grant 9384, Ap. 8 to Harold K. L. Castle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the West corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 9,030.34 feet North and 3,293.50 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-2, and running by azimuths measured clockwise from true South:

1. 232° 12' 30.57 feet along remainder of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama;
2. Thence along remainders of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa, on a curve to the right with a radius of 980.00 feet, the chord azimuth and distance being 315° 58' 54" 161.32 feet;
3. 320° 42' 10" 203.30 feet along remainders of R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa and R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
4. 50° 42' 10" 30.00 feet along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
5. 140° 42' 10" 203.30 feet along remainders of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle, Grant 9384, Ap. 8 to Harold K. L. Castle and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuaiwa;



RESOLUTION

6. Thence along remainders of R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuawaiwa, Grant 9384, Ap. 6 to Harold K. L. Castle and R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the left with a radius of 950.00 feet, the chord azimuth and distance being $135^{\circ} 48' 24''$ 162.16 feet to the point of beginning and containing an area of 10,956 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL C-3
 Construction Easement

Being portions of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 1383, L. C. Aw. 3344 to Naiwieha, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle, R. P. 973 L. C. Aw. 4481, Ap. 2 to Honuawaiwa and R. P. 972, L. C. Aw. 1899, Ap. 1 to Oponui. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the North corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 9,218.84 feet North and 3,050.49 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-3, and running by azimuths measured clockwise from true South:

1. 329° 16' 195.00 feet along remainders of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 972, L. C. Aw. 1899, Ap. 1 to Oponui and R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
2. 51° 40' 164.59 feet along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
3. 140° 42' 10" 36.52 feet along remainders of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuawaiwa;
4. Thence along remainders of R. P. 973, L. C. Aw. 4481, Ap. 2 to Honuawaiwa, R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the left with a radius of 1,050.00 feet, the chord azimuth and distance being 136° 21' 01" 159.37 feet;



RESOLUTION

5. 232° 12' 205.77 feet along remainders of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, R. P. 1383, L. C. Aw. 3344 to Naiwieha and again along R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama to the point of beginning and containing an area of 35,432 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL C-4
 Construction Easement

Being portions of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle, R. P. 972, L. C. Aw. 1899, Ap. 1 to Oponui and R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the West corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 8,878.11 feet North and 3,021.79 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-3, and running by azimuths measured clockwise from true South:

1. 228° 09' 214.87 feet along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
2. Thence along same, on a curve to the left with a radius of 60.00 feet, the chord azimuth and distance being 200° 07' 30" 56.38 feet;
3. Thence along remainders of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 972, L. C. Aw. 1899, Ap. 1 to Oponui, on a curve to the right with a radius of 114.00 feet, the chord azimuth and distance being 195° 33' 30" 90.76 feet;
4. 219° 01' 31.00 feet along remainders of R. P. 972, L. C. Aw. 1899, Ap. 1 to Oponui and R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
5. 226° 18' 64.00 feet along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;



RESOLUTION

- 6. Thence along remainders of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle and R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the right with a radius of 160.00 feet, the chord azimuth and distance being 247° 39' 30" 116.54 feet;
- 7. Thence along remainder of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the left with a radius of 80.00 feet, the chord azimuth and distance being 247° 40' 30" 58.23 feet;
- 8. 226° 20' 47.00 feet along same;
- 9. 235° 38' 62.00 feet along same;
- 10. 232° 49' 29.00 feet along same;
- 11. 254° 32' 40.00 feet along same;
- 12. 242° 33' 62.00 feet along same;
- 13. 244° 42' 107.00 feet along same;
- 14. 239° 50' 80.00 feet along same;
- 15. 243° 22' 80.00 feet along same;
- 16. 233° 41' 70.00 feet along same;
- 17. 239° 14' 78.00 feet along same;
- 18. 218° 48' 70.10 feet along same;
- 19. 269° 17' 64.72 feet along same;
- 20. 359° 17' 15.00 feet along R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;



RESOLUTION

- | | | | | | |
|-----|---|-----|--------|------|---|
| 21. | 89° | 17' | 57.65 | feet | along remainder of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama; |
| 22. | 38° | 48' | 65.72 | feet | along same; |
| 23. | 59° | 14' | 79.98 | feet | along same; |
| 24. | 53° | 41' | 17.54 | feet | along same; |
| 25. | 62° | 29' | 248.80 | feet | along Lot B-2-A (Map 3) of Land Court Application 1271; |
| 26. | 337° | 04' | 9.19 | feet | along same; |
| 27. | 64° | 42' | 71.06 | feet | along remainder of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama; |
| 28. | 62° | 33' | 63.29 | feet | along same; |
| 29. | 74° | 32' | 38.70 | feet | along same; |
| 30. | 52° | 49' | 26.49 | feet | along same; |
| 31. | 55° | 38' | 61.15 | feet | along same; |
| 32. | 46° | 20' | 45.78 | feet | along same; |
| 33. | Thence along same, on a curve to the right with a radius of 95.00 feet, the chord azimuth and distance being 67° 40' 30" 69.15 feet; | | | | |
| 34. | Thence along remainders of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, and R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle, on a curve to the left with a radius of 145.00 feet, the chord azimuth and distance being 67° 39' 30" 105.62 feet; | | | | |



RESOLUTION

35. 46° 18' 63.05 feet along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
36. 39° 01' 30.05 feet along same;
37. Thence along same, on a curve to the left with a radius of 99.00 feet, the chord azimuth and distance being 15° 33' 30" 78.82 feet;
38. Thence along same, on a curve to the right with a radius of 75.00 feet, the chord azimuth and distance being 20° 07' 30" 70.48 feet;
39. 48° 09' 215.54 feet along same;
40. 140° 42' 10" 15.01 feet along same to the point of beginning and containing an area of 19,508 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 4

Sewer Easement (Construction allowed)

Being a portion of Lot 40 of Bay View Estates (File Plan 1112), being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the East corner of this parcel of land and on the Southwest side of Moakaka Place, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 8,068.31 feet North and 2,410.17 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-4, and running by azimuths measured clockwise from true South:

1. Along the remainder of Lot 40 of Bay View Estates (File Plan 1112), on a curve to the right with a radius of 515.00 feet, the chord azimuth and distance being $124^{\circ} 56' 59''$ 42.02 feet;
2. Thence on the South side of Moakaka Place, on a curve to the right with a radius of 30.00 feet, the chord azimuth and distance being $295^{\circ} 34' 21''$ 25.13 feet;
3. Thence along same, on a curve to the left with a radius of 252.00 feet, the chord azimuth and distance being $318^{\circ} 19' 12''$ 17.71 feet to the point of beginning and containing an area of 143 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 5
 Sewer Easement (Construction allowed)

Being a portion of Lot 60 of Bay View Estates (File Plan 1112), being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the East corner of this parcel of land and on the North side of Moakaka Place, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 8,026.69 feet North and 2,242.36 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-4, and running by azimuths measured clockwise from true South:

1. 102° 00' 30.74 feet along the North side of Moakaka Place;
2. Thence along same, on a curve to the right with a radius of 214.00 feet, the chord azimuth and distance being 105° 05' 18" 23.06 feet;
3. Thence along the East corner of the intersection of Moakaka Place and Moamahi Way, on a curve to the right with a radius of 20.00 feet, the chord azimuth and distance being 131° 10' 39" 15.63 feet;
4. Thence along remainder of Lot 60 of Bay View Estates (File Plan 1112), on a curve to the left with a radius of 485.00 feet, the chord azimuth and distance being 290° 09' 27" 14.39 feet;
5. 289° 18' 26" 53.61 feet along same to the point of beginning and containing an area of 231 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 6

Sewer Easement (Construction allowed)

Being a portion of Lot 53 of Bay View Estates (File Plan 1112), being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the East corner of this parcel of land and on the South side of Moakaka Place, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 7,986.41 feet North and 2,207.02 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-4; and running by azimuths measured clockwise from true South:

1. 12° 58' 3.71 feet along Lot 54 of Bay View Estates (File Plan 1112);
2. 109° 18' 26" 29.46 feet along remainder of Lot 53 of Bay View Estates (File Plan 1112);
3. 282° 00' 24.49 feet along the South side of Moakaka Place;
4. Thence along same, on a curve to the right with a radius of 284.00 feet, the chord azimuth and distance being 282° 29' 4.79 feet to the point of beginning and containing an area of 55 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 7

Sewer Easement (Construction allowed)

Being a portion of Lot 54 of Bay View Estates (File Plan 1112), being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the Northwest corner of this parcel of land and on the South side of Moakaka Place, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 7,986.41 feet North and 2,207.02 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-4, and running by azimuths measured clockwise from true South:

1. Along the South side of Moakaka Place, on a curve to the right with a radius of 284.00 feet, the chord azimuth and distance being 292° 14' 91.46 feet;
2. 31° 30' 6.17 feet along Lot 55 of Bay View Estates (File Plan 1112);
3. Thence along remainder of Lot 54 of Bay View Estates (File Plan 1112), on a curve to the left with a radius of 585.00 feet, the chord azimuth and distance being 113° 47' 01" 89.91 feet;
4. 192° 58' 3.71 feet along Lot 53 of Bay View Estates (File Plan 1112) to the point of beginning and containing an area of 565 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 8

Sewer Easement (Construction allowed)

Being a portion of Lot 55 of Bay View Estates (File Plan 1112), being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the North corner of this parcel of land and on the East end of Moakaka Place, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 7,947.35 feet North and 2,087.60 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-4, and running by azimuths measured clockwise from true South:

1. 311° 37' 104.88 feet along Lot 56 of Bay View Estates (File Plan 1112);
2. 120° 52' 55" 107.75 feet along remainder of Lot 55 of Bay View Estates (File Plan 1112);
3. Thence along same, on a curve to the left with a radius of 585.00 feet, the chord azimuth and distance being 119° 32' 11" 27.47 feet;
4. 211° 30' 6.17 feet along Lot 54 of Bay View Estates (File Plan 1112);
5. Thence along the South side Moakaka Place, on a curve to the right with a radius of 284.00 feet, the chord azimuth and distance being 303° 59' 24.61 feet;
6. 306° 28' 6.00 feet along same;
7. 216° 28' 16.00 feet along the East end of Moakaka Place to the point of beginning and containing an area of 1,178 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 9

Sewer Easement (Construction allowed)

Being a portion of Lot 56 of Bay View Estates (File Plan 1112), being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the West corner of this parcel of land and on the East end of Moakaka Place, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 7,947.35 feet North and 2,087.60 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-4; and running by azimuths measured clockwise from true South:

1. 216° 28' 10.52 feet along the East end of Moakaka Place;
2. 300° 52' 55" 119.85 feet along remainder of Lot 56 of Bay View Estates (File Plan 1112);
3. Thence along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle, on a curve to the right with a radius of 90.00 feet, the chord azimuth and distance being 47° 31' 09" 32.97 feet;
4. 131° 37' 113.42 feet along Lot 55 of Bay View Estates (File Plan 1112) to the point of beginning and containing an area of 2,521 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 10
 Sewer Easement (Construction allowed)

Being a portion of Lot 112-A of a subdivision of Lot 112 of Bay View Estates (File Plan 1112), being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the Northwest corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 7,898.38 feet North and 1,975.59 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-5, and running by azimuths measured clockwise from true South:

1. 300° 52' 55" 941.38 feet along remainder of Lot 112-A of a subdivision of Lot 112 of Bay View Estates (File Plan 1112);
2. Thence along same, on a curve to the left with a radius of 2,980.00 feet, the chord azimuth and distance being 299° 29' 43" 144.23 feet;
3. 358° 40' 45.84 feet along Lot A of a subdivision of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
4. Thence along remainder of Lot 112-A of a subdivision of Lot 112 of Bay View Estates (File Plan 1112), on a curve to the right with a radius of 3,020.00 feet, the chord azimuth and distance being 119° 16' 53.5" 168.69 feet;
5. 120° 52' 55" 953.05 feet along same;



RESOLUTION

6. Thence along Lots 55 and 56 of Bay View Estates (File Plan 1112), on a curve to the left with a radius of 90.00 feet, the chord azimuth and distance being 227° 09' 12" 41.67 feet to the point of beginning and containing an area of 40,080 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 11

Sewer Easement (Construction allowed)

Being a portion of Lot A, being also a portion of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the Southeast corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 7,166.58 feet North and 754.38 feet West, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-6, and running by azimuths measured clockwise from true South:

1. Along remainder of Lot A of a subdivision of R. P. 5583, L. C. Aw. 2937, Part 10 Section 3 to William Harbottle, on a curve to the right with a radius of 3,020.00 feet, the chord azimuth and distance being 114° 41' 12" 315.58 feet;
2. 178° 39' 45.84 feet along remainder of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle;
3. Thence along remainder of Lot A of a subdivision of R. P. 5583, L. C. Aw. 2937, Part 10, Section 3 to William Harbottle, on a curve to the left with a radius of 2,980.00 feet, the chord azimuth and distance being 294° 12' 47" 405.00 feet;
4. 64° 30' 24.52 feet along Grant 1106, Ap. 1 to Kokahe;
5. 89° 03' 59.42 feet along same to the point of beginning and containing an area of 14,712 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 13

Sewer Easement (Construction allowed)

Being a portion of Deed: Minister of Interior to C. C. Harris, dated March 24, 1876 and recorded in Liber 45, Page 286. Situate at Kailua, Koolaupoko, Oahu, Hawaii.

Beginning at the Southwest corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 7,286.20 feet North and 1,741.40 feet East, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-7, and running by azimuths measured clockwise from true South:

1. 177° 46' 44.19 feet along remainder of Deed: Minister of Interior to C. C. Harris, dated March 24, 1876 in Liber 45, Page 286;
2. Thence along same, on a curve to the left with a radius of 2,980.00 feet, the chord azimuth and distance being 230° 45' 56" 1,208.16 feet;
3. Thence along the Northwest side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), on a curve to the left with a radius of 1,480.00 feet, the chord azimuth and distance being 303° 13' 27" 19.82 feet;
4. 34° 00' 174.33 feet along same;
5. Thence along remainder of Deed: Minister of Interior to C. C. Harris, dated March 24, 1876 in Liber 45, Page 286, on a curve to the right with a radius of 3,020.00 feet, the chord azimuth and distance being 52° 34' 25" 1,074.35 feet to the point of beginning and containing an area of 47,532 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 17

Sewer Easement (Construction allowed)

Being a portion of Deed: Minister of Interior to C. C. Harris, dated March 24, 1876 in Liber 45, Page 286. Situate at Kailua, Koolau, Oahu, Hawaii.

Beginning at an Easterly corner of this parcel of land and on the West side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 9,392.25 feet North and 3,551.90 feet East, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-8, and running by azimuths measured clockwise from true South:

1. 294° 39' 16" 11.75 feet along a jog on Interstate Highway (F.A.I.P. No. I-H3-1(2));
2. 32° 13' 915.21 feet along remainder of Deed: Minister of Interior to C. C. Harris, dated March 24, 1876 in Liber 45, Page 286;
3. 128° 29' 40.24 feet along same;
4. 212° 13' 1,013.56 feet along same;
5. 306° 05' 13.52 feet along R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha;
6. Along the West side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), on a curve to the right with a radius of 4,815.00 feet, the chord azimuth and distance being 24° 01' 59" 104.44 feet to the point of beginning and containing an area of 38,660 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 19
 Sewer Easement (Construction allowed)

Being a portion of Lot A-1, being also a portion of R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the North corner of this parcel of land, on the West side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 9,564.46 feet North and 3,626.90 feet East, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-8, and running by azimuths measured clockwise from true South:

1. Along the West side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), on a curve to the right with a radius of 4,815.00 feet, the chord azimuth and distance being 22° 54' 12" 55.5 feet;
2. 126° 05' 13.52 feet along Deed: Minister of Interior to C. C. Harris, dated March 24, 1876 in Liber 45, Page 286;
3. 212° 13' 81.40 feet along remainder of Lot A-1 of a subdivision of R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha to the point of beginning and containing an area of 559 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 20

Sewer Easement (Construction allowed)

Being a portion of Lot A-1, being also a portion of R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the North corner of this parcel of land, on the West side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 9,799.60 feet North and 3,775.07 feet East, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-8, and running by azimuths measured clockwise from true South:

1. Along the West side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), on a curve to the right with a radius of 4,870.00 feet, the chord azimuth and distance being 20° 12' 21.5" 171.80 feet;
2. 111° 13' 36.42 feet along same;
3. 212° 13' 174.99 feet along remainder of Lot A-1 of a subdivision of R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha to the point of beginning and containing an area of 3,215 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 21
 Sewer Easement (Construction allowed)

Being a portion of Lot A, being also a portion of R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the South corner of this parcel of land, on the East side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 10,461.50 feet North and 4,239.44 feet East, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-9, and running by azimuths measured clockwise from true South:

1. Along the East side of Interstate Highway (F.A.I.P. No. I-H3-1(2)), on a curve to the left with a radius of 5,150.00 feet, the chord azimuth and distance being 189° 55' 20.5" 105.44 feet;
2. 212° 13' 2,725.92 feet along remainder of R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha;
3. 338° 37' 49.70 feet along R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama;
4. 32° 13' 2,793.99 feet along remainder of R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha to the point of beginning and containing an area of 110,388 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 22

Sewer Easement (Construction allowed)

Being a portion of Lot A, being also a portion of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.

Beginning at the North corner of this parcel of land, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 14,995.22 feet North and 7,121.09 feet East, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-9, and running by azimuths measured clockwise from true South:

1. 311° 14' 40.00 feet along Lot 1 of a subdivision of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama;
2. Thence along same, on a curve to the left with a radius of 4,980.00 feet, the chord azimuth and distance being 36° 41' 07" 776.01 feet;
3. 32° 13' 1,798.06 feet along same;
4. 158° 37' 49.70 feet along R. P. 6955, Ap. 1, L. C. Aw. 7587, Part 2 to L. Kealoha;
5. 212° 13' 1,768.57 feet along remainder of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama;
6. Thence along same, on a curve to the right with a radius of 5,020.00 feet, the chord azimuth and distance being 216° 41' 08" 782.29 feet to the point of beginning and containing an area of 102,528 square feet.



RESOLUTION

KANEOHE/KAILUA SEWER TUNNEL

PARCEL 23-X

Sewer Easement (Construction not allowed)

Being a portion of Lot 1, being also a portion of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama. Situate at Kaneohe, Koolaupoko, Oahu, Hawaii.


Beginning at the East corner of this parcel of land on the Southwest side of Kaneohe Bay Drive, the coordinates of said point of beginning referred to Government Survey Triangulation Station "KAILUA" being 15,307.75 feet North and 7,447.29 feet East, as shown on Division of Land Survey and Acquisition Parcel Map File No. 18-3-4-9, and running by azimuths measured clockwise from true South:

1. Along remainder of Lot 1 of a subdivision of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the right with a radius of 823.67 feet, the chord azimuth and distance being 40° 00' 21" 62.83 feet;
2. 42° 11' 30" 296.97 feet along same;
3. Thence along same, on a curve to the left with a radius of 4,985.00 feet, the chord azimuth and distance being 41° 40' 22" 83.21 feet;
4. 131° 14' 30.00 feet along remainder R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama;
5. Thence along remainder of Lot 1 of a subdivision of R. P. 7984, L. C. Aw. 4452, Ap. 13 to H. Kalama, on a curve to the right with a radius of 5,015.00 feet, the chord azimuth and distance being 221° 40' 23" 90.79 feet;
6. 222° 11' 30" 296.97 feet along same;



RESOLUTION

7. Thence along same, on a curve to the left with a radius of 793.67 feet, the chord azimuth and distance being $219^{\circ} 55' 22''$ 62.84 feet;
8. $312^{\circ} 11' 30''$ 30.09 feet along the Southwest side of Kaneohe Bay Drive to the point of beginning and containing an area of 13,511 square feet.



This work was prepared by me or under my direct supervision
 David L. Williams
 License Professional Land Surveyor
 Certificate Number 7116
 Expires 4/14

INDEX	
SHEET	PARCELS
1	Key Map
2	1-X, 2-X, C-1, and C-2
3	C-3, 20R1 C-6
4	3 20R1 9
5	10
6	11 and 12
7	13 20R1 18
8	17 20R1 20
9	21, 22 and 23-X

KEY MAP

DEPARTMENT OF DESIGN AND CONSTRUCTION
 CITY AND COUNTY OF HONOLULU
 DIVISION OF LAND SURVEY AND ACQUISITION



**KANEOHE / KAILUA
 SEWER TUNNEL**

AT KANEOHE AND KAILUA, HONOLULU, OAHU, HAWAII

DESIGNED BY: <i>David Williams</i>	DATE: July 3, 2013
DRAWN BY: <i>David Williams</i>	SCALE: As Shown
CHECKED BY: <i>David Williams</i>	DATE: <i>7/3/13</i>

DATE: 7/3/13	PROJECT: KANEOHE / KAILUA SEWER TUNNEL	FOUNDER: HONOLULU	JOB: 1
DATE: 7/3/13	PROJECT: KANEOHE / KAILUA SEWER TUNNEL	FOUNDER: HONOLULU	JOB: 1

FILE	PROJECT	FOUNDER	JOB
18	3	4	1



PARCELS 1-X, 2-X, C-1 AND C-2
PARCEL MAP

DEPARTMENT OF DESIGN AND CONSTRUCTION
CITY AND COUNTY OF HAWAII
DIVISION OF LAND SURVEY AND ACQUISITION

KANEOHE / KAILUA SEWER TUNNEL

AT KANEOHE, KOOLOAHO, DISTRICT OF HAWAII


Contractor: <i>Continental Services, Inc.</i>	Date: <i>June 3, 2013</i>
Prepared by: <i>S. Takamido</i>	Checked by: <i>S. Takamido</i>
Drawn by: <i>St. Bernard</i>	Reviewed by: <i>St. Bernard</i>
<i>[Signature]</i>	<i>[Signature]</i>
TITLE: <i>P.E. 2012</i>	DATE: <i>06/03/13</i>
PROJECT: <i>P.E. 2012</i>	SCALE: <i>AS SHOWN</i>



This work was prepared by me or under my direct supervision.

[Signature]
Professional Land Surveyor
State of Hawaii, U.S.A.

FILE	POCKET	FOLDER	NO.
18	3	4	2



PARCELS C-3 TO C-6 INCLUSIVE
PARCEL MAP

DEPARTMENT OF DESIGN AND CONSTRUCTION
CITY AND COUNTY OF HONOLULU
DIVISION OF LAND SURVEY AND ACQUISITION

KANEHOE / KAILUA SEWER TUNNEL


AS SHOWN, KAILUA, OAHU, HAWAII



This work was prepared by me or under my direct supervision
H. S. Takami
Licensed Professional Land Surveyor
Certificate Number 7041
Expires 12/31/11

prepared by	Checked by	date	June 3, 2013
drawn by	approved by		
checked by	approved by		
checked by	approved by		
checked by	approved by		
checked by	approved by		
checked by	approved by		
checked by	approved by		

FILE	PROJECT	DRAWING	NO.
18	3	4	3



Legend:
 (1) Existing Sewer Easement (Construction not shown)
 (2) Existing Sewer Easement (Construction shown)
 (3) Existing Construction Easement

Note:
 Abbreviations and Conventions referred to "TOLUCA"



PARCELS 3 TO 9 INCLUSIVE
 PARCEL MAP
 DEPARTMENT OF DESIGN AND CONSTRUCTION
 DIVISION OF LAND SURVEY AND ACQUISITION
 KANEOHE / KAILUA SEWER TUNNEL

AT KANEOHE, KOOLOPOLO, DISTRICT OF HAWAII


Prepared by: James S. Tamm, P.E.
 Checked by: [Signature]
 Date: [Date]

DATE	BY	REVISION


Sheet No. 101
 4-4-1974 32 8 37

Sheet No. 4 of 9 Sheets

NO.	DATE	DESCRIPTION
1		
2		
3		
4		



ENLARGEMENT
Scale 1 in. = 50 ft.



**PARCEL 10
PARCEL MAP**

DEPARTMENT OF DESIGN AND CONSTRUCTION
CITY AND COUNTY OF HAWAII
DIVISION OF LAND SURVEY AND ACQUISITION

Kaneohe / Kailua Sewer Tunnel

KI KANEHE, HONOLULU, OAHU, HAWAII

Contracted Surveyor, Inc.
S. Takemoto
As Noted

June 3, 2015
S. Takemoto
As Noted

(Signatures)



DATE	DATE	DATE	DATE
1/24/15	1/24/15	1/24/15	1/24/15



This work was prepared by me or under my direct supervision.

(Signature)
Professional Land Surveyor
License No. 7994

FILE	PROJECT	FOLDER	SHEET
18	3	4	5



PARCELS 13 TO 16 INCLUSIVE
PARCEL MAP

DEPARTMENT OF DESIGN AND CONSTRUCTION
CITY AND COUNTY OF HONOLULU
DIVISION OF LAND SURVEY AND ACQUISITION

KANEOHE / KAILUA SEWER TUNNEL


AT KAILUA, KOLEKOLE, OAHU, HAWAII




This work was prepared by me or under my direct supervision

DATE	FILE NO.	PROJECT NO.	SCALE
DATE	FILE NO.	PROJECT NO.	SCALE

FILE	PROJECT	FOLEY	NO.
18	3	4	7



ENLARGEMENT
Scale 1" = 50'



PARCELS 17 TO 20 INCLUSIVE
PARCEL MAP

DEPARTMENT OF DESIGN AND CONSTRUCTION
DIVISION OF LAND SURVEY AND ADJUDICATION

KANEOHE / KAILUA SEWER TUNNEL

AT KANEOHE AND KAILUA, HONOLULU, OAHU, HAWAII




See seal and stamp for date
or under my direct supervision


Prepared by	D. S. Talamo	Checked by	D. S. Talamo
Drawn by	J. M. Smith	Reviewed by	J. C. Edwards
Field notes	<i>[Signature]</i>	Witness	<i>[Signature]</i>
Date	June 3, 2013	Scale	As Shown

When Sewer Enlargement (Construction allowed)
All lot Coordinates referred to "KAILUA" A
From: Deeds to various parcels

FILE	INDEXED	EXAMINED	NO.
18		2	8



TRUE NORTH
Scale: 1" = 300 ft.



Legend:
 (1) Sewer Sewer (Construction of above)
 (2) Sewer Sewer (Construction above)
 Notes:
 All notes and descriptions referred to "PARISH"
 All notes and descriptions referred to "PARISH"
 All notes and descriptions referred to "PARISH"



We will not be held responsible for any errors or omissions in this map.

PARCELS 21, 22 AND 23-X
 PARCEL MAP

DEPARTMENT OF DESIGN AND CONSTRUCTION
 CITY AND COUNTY OF HONOLULU
 DIVISION OF LAND SURVEY AND ACQUISITION

Kaneohe / Kailua Sewer Tunnel

AT KANEOHE AND KAILUA, HONOLULU, OAHU, HAWAII

Professional Surveyor, No.	1211	Date	5/27/11
City Engineer	C. S. Roberts	City Engineer	C. S. Roberts
City Engineer	M. J. Williams	City Engineer	M. J. Williams