Photo Log

Surveyor: CATHY

Date Taken: 3/13-16/98

Date DL: 031798a

Photo Card #	Cross Streets	Intersection No.	Element	Database Photo No.
1	Kahimoe/Oli	9C0809	B	1
2	↓	↓	C	1
3	Oli Lp/Oli Pl	9C0810	A	1
4	↓	↓	B	1
5	Oli Lp/Paha Pl	9C0811	A	1
6	↓	↓	B	1
7	Kaao/Kepakepa	9C0812	A	1
8	↓	↓	B	1
9	Hoomele/Kepakepa	9C0813	A	1
10	↓	↓	B	1
11	Kepakepa Pl/Kepakepa St	9C0814	A	1
12	↓	↓	B	1
13	↓	↓	C	1
14	Kepakepa/Oli LP	9C0815	A	1
15	↓	↓	B	1
16	LP ↓	↓	C	1
17	Oli/Kepakepa/Paaono	9C0816	A	1
18	LP ↓	↓	B	1
19	Oli/Paaono	9C0817	A	1
20	↓ LP	↓	B	1
21	94-1180 Oli/94-700 Paaono	9C0818	A	1
22	↓	↓	B	1
23	Kaukahi/Oli LP	9C0819	A	1
24	↓	↓	B	1
25	Lauwi/Oli LP	9C0820	A	1
26	↓	↓	B	1
27	↓	↓	C	1
28	94-1000 Kaukahi/Ukee	9C0821	A	1
29	↓	↓	B	1
30	94-1000 Kaukahi/94-730 Ukee	9C0822	A	1
31	↓ LP	↓	B	1
32	94-1220 Oli/94-700 Ukee	9C0823	A	1
33	↓	↓	B	1
34	Palaiki/Ukee	9C0824	A	1
35	↓	↓	B	1
36	↓	↓	C	1
37	Puana/Ukee	9C0825	A	1
38	↓	↓	B	1
39	↓	↓	C	1
40	Waiolina/Ukee	9C0826	A	1
41	↓	↓	B	1
42	↓	↓	C	1
43	Pupuhi/Ukee	9C0827	A	1
44	↓	↓	B	1
45	↓	↓	C	1
46	Kawele/Koliana	9C0828	A	1
47	↓	↓	B	1
48	Koliana/Kumepala	9C0829	A	1
49	↓	↓	B	1
50	Koliana Pl/Koliana St	9C0830	A	1
51	↓	↓	B	1
52	94-1030 Ka Uka/Ukee	9C0831	A	1

Photo Log

Surveyor: CMHY

Date Taken: 3/13-16/98

Date DL: 031798a

Photo Card #	Cross Streets	Intersection No.	Element	Database Photo No.
53	94-1030 Ka Uka/Ukee	9C0831	B	1
54			C	1
55			D	1
56			E	1
57			F	1
58			G	1
59			H	1
60	Koliana/Ukee	9C0832	A	1
61			B	1
62			C	1
63	Heainoa/Mele	9C0833	A	1
64			B	1
65	Himeni/Mele	9C0834	A	1
66			B	1
67	Mele Pl/Mele St	9C0835	A	1
68			B	1
69	Kulewa/Waipio Uka	9C0836	A	1
70			B	1
71	Mele/Waipio Uka	9C0837	A	1
72			B	1
73			C	1
74	Ka Uka/Puahi/Waipio Uka	9C0838	A	1
75			B	1
76			C	1
77			D	1
78			E	1
79	Puahi/Ukee	9C0839	A	1
80			B	1
81	94-1160 Ka Uka/94-440 Ukee	9C0840	A	1
82			B	1
83			C	1
84			D	1
85	Kau/Ukee	9C0841	A	1
86			B	1
87			C	1
88	Moaniani/Ka Uka	9C0842	A	1
89			B	1
90			C	1
91			D	1
92	94-1220 Oli/94-700 Ukee	9C0823	C	1
93	Ahokele/Meheula	9C0843	A	1
94			B	1
95	Akuli/Paalii	9C0844	A	1
96			B	1
97	Paalii/Paehia	9C0845	A	1
98			B	1
99	Ahunalii/Paalii	9C0846	A	1
100			B	1
101	Paalii/Paeheu	9C0847	A	1
102			B	1
103	Aahu/Paalii	9C0848	A	1
104			B	1

Photo Log

Surveyor: OMHY

Date Taken: 3/13-16/98

Date DL: 031798a

Photo Card #	Cross Streets	Intersection No.	Element	Database Photo No.
105	Kuaoa/Paalii	9C0849	A	1
106	↓	↓	B	1
107	Kuaoa/Meheula Pkwy.	9C0850	A	1
108	↓	↓	B	1
109	↓	↓	C	1
110	↓	↓	D	1
111	Kuaoa/Paea	9C0851	A	1
112	↓	↓	B	1
113	Haike/Paea	9C0852	A	1
114	↓	↓	B	1
115	Lapaiki/Paea	9C0853	A	1
116	↓	↓	B	1
117	Halekua/Lapaiki	9C0854	A	1
118	↓	↓	B	1
119	Halekua Pl/Halekua St	9C0855	A	1
120	↓	↓	B	1
121	Halekua/Puakai	9C0856	A	1
122	↓	↓	B	1
123	Lehiwa/Meheula	9C0857	A	1
124	↓	↓	B	1
125	↓	↓	C	1
126	↓	↓	D	1
127	↓	↓	E	1
128	↓	↓	F	1
129	↓	↓	G	1
130	↓	↓	H	1
131	Auina/Luaehu	9C0858	A	1
132	↓	↓	B	1
133	↓	↓	C	1
134	↓	↓	D	1
135	Kuanoni Pl/Kuanoni Wy	9C0859	A	1
136	↓	↓	B	1
137	↓	↓	C	1
138	↓	↓	D	1
139	Kuanoni/Luaehu	9C0860	A	1
140	↓	↓	B	1
141	↓	↓	C	1
142	↓	↓	D	1
143	Luaehu Pl/Luaehu St	9C0861	A	1
144	↓	↓	B	1
145	↓	↓	C	1
146	↓	↓	D	1
147	Kaapeha/Meheula	9C0862	A	1

ADA Curb Ramp Recommendations Form

Cross streets: 94-1020 OLI LP | 94-1020 OLI PL
Intersection # : 9CC8|0
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A									OKAY J=2.0
B									OKAY J=2.0
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET

↑ MAUKA



94-1020
OLI LP



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													7.3										
B													7.0										
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: OLI LP | PAHA PL
Intersection #: 9 C0811
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M	0203G							J=2.0
B									OKAY J=2.0
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:																							
Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													8.3										
B													5.6										
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-160 KAAO PL / 94-1130 KEPAKEPA ST
Intersection # : 9C081L
ate: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	BH	0304AT	0414S						
B	BH	0501X	0414S						
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																							
B													PL									1/2	
C																						1/2	
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-140 HOOMELE PL / 94-1110 KEPAEPA ST
Intersection # : 9C0813
Date: 3/13/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Govt. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	BH	8304AS	0414S						
B	BH	0202G	0501K	0414S					
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																							
B													14.4									1/2	
C											9.9											1/2	
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-140 KEPAKEPA PL | 94-1090 KEPA KEPA ST
Intersection # : 9C0814
Date: 3/13/98
Bus Stop?: Yes (No)
Surveyor: Cathy
Location Priority: I. Gov't. School Health Comm. Condos
II. (Residential) Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	B H	0414S	0501X						
B	P3H	0202G	0303G	0408G	0415S	0501G			
C	P3H	0302G	0409R	0501G	0414S				
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 15 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

↑ MAUKA



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																						1/2	
B											9.5		10.0					7.3				1	
C														9.0				9.7				1/2	
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

94-1070 REPAVE PAST / 94-1070 OLI LP

Cross streets:
Intersection # : 9C0815
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATH
Location Priority: I. Govt. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0207G	0303G	0409R	0414S	0501G			
B	PSH	0207G	0302G	0501G	0414S				
C	M1	0202G	0207G	0302G	0501G				
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET

MAOKA



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A												3.5	10.5					8.3				1/2	
B												2.5	9.3									1/2	
C											8.7	3.5		8.4								-1/2	
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: OLI LP / KEPAKEPA ST / PAAOND ST
Intersection # : 9C0816
ate: 3/13/98

Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl (School) Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	BA	0101AJ							Upper
B	BA	0101AJ							↓
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	7-10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.1	—	—	5'4	—	0	—
B	87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2.0	—	—	4'½	—	0	—
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: OU LP/PAAONO ST
Intersection # : 960817
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

lement	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A									OKAY V=210
B									OKAY V=210
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													4.5										
B													7.0										
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1180 OLI LP / 94-700 PAAONO ST
Intersection # : 960818
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: [illegible]
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A									OKAY J=2.0
B									OKAY J=2.0
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													7.4										
B													5.0										
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1050 KAUKAHI ST / 94-1200 OLI LP
Intersection # : 910819
ate: 3/13/98
Bus Stop?: Yes No
Surveyor: GATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0303G							Q=2.0
B									OKAY Q=2.0
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET





Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													10.7										
B													6.2										
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1000 LAUWI PL / 94-740 UKEE ST
Intersection # : 910820
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov't. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	B3H	0203G	0208G	0303G	0409R	0501G			
B	B3H	0204AJ	1001G	1004G					U = -5.4
C	B3H	0202G	0207G	0302G	0410R	0501G			
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 99

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A											10.4	6.2	11.1					9.4					
B									2.4	-5.4	12.5		11.8										
C											9.6	3.1		8.5				10.2					
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1000 KAUKAHI ST | UKEE ST
Intersection # : 9C0821
ate: 3/13/98

Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. (Condos)
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A									OKAY J=5.0
B									OKAY J=5.0
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													7.4										
B													6.5										
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1000 KAUKAHI PL / 94-730 UKEE ST
Intersection # : 960822
Date: 3/13/98

Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm (Condos)
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A									OKAY J=5.0
B	M1	0302G							J=5.0
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													4.4										
B													9.1										
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1200 OLI LP / 94-700 UKEE ST
Intersection # : 9C0823
Date: 3/13/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. (Condos)
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	BH	0203G	0207G	0303G	0417G	0409R	0415S	0501G	J= 3.4 P= 3.4
B	BH	0204AJ	0408G	0413G					J= 1.2 P= 0.4
C	BH	0203G	0303G	0417G	0409R	0501G	0414S		J= 1.2 P= 2.9
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	8	3-11	3-10	4-2	—	8	0	8	1.4	-3.4	11.9	-2.6	1.3	7.9	3.1	-3.4	5.5	8.7	—	5 3/4	5 1/2		—
B	7-10	3-8	3-8	3	—	8	0	7-10	5.3	-1.2	7.8	-5.4	14.3	8.0	3.0	-0.6	3.5	8.1	3.7	6 1/2	6 1/4	0	1/4
C	8	3-8	4-10	3-10	—	8	0	8	4.3	1.2	11.6	0.9	8.0	10.3	1.8	2.9	6.6	9.0	—	6 1/4	5 1/2	1/2	—
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: PALA 1151 / 94-680 UKEE ST
Intersection # : 9C0824
Date: 3/13/98

Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. (Residential) Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	~~Item #6~~	Item #7	Remarks
A	PSH	0203G	0207G	0303G	0501G	0409R			
B	MI	0207G	0408G	0501X					
C	PSH	0304AJ	0408G						
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																							
B											10.7	3.1	9.3	10.3				8.5					
C												3.1						16.4					
D													14.2					16.4					
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1000 PUAINA ST / 94-670 ULEE ST
Intersection #: 940825
Date: 3/13/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'l. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0203G	0207G	0303G	0501G	0408G			
B	P3H	C204A5	0408G						
C	M1	0202G	0303G	0501G	0408G				
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A											10.5	2.3	11.6					(4)					
B											12.8	3.3	11.6					4.3					
C											8.6			11.1				7.0					
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-630 UKEE ST / 94-1000 WAIOLINA ST
Intersection #: 9C0826
Date: 3/13/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0203G	0206G	0304G					
B	M1	0203G	0207G	0302G	0501G				
C	M1	0207G	0501X						
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET

→ MAUKA

Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4				10.6	6.0	13.8										
B											10.7	2.2	9.4										
C												2.7											
D																							
E																							
F																							
G																							
H																							
I																							
J																							



(A) PEDS STILL CROSS IN

ADA Curb Ramp Recommendations Form

Cross streets: 94-1000 PUPUHI ST / 94-640 UKEE ST
Intersection #: 9C0827
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	MI	0203G	0208G	0303G	0501G				
B	MI	0202G	0207G	0408G	0501G				
C	MI	0202G	0208G	0303G	0413G	0501G			
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE _____ 19 ____

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A											10.7	4.5		11.6									
B											9.5	3.5						7.3					
C											9.1	5.1	11.0									1/4	
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-620 KAWELE PL / 94-1040 KOLIHANA ST
Intersection #: 9L0828
Date: 3/13/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'l. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0202G	0302G	0414S	0501G				
B	PSH	0203G	0208G	0303G	0501G	0414S			
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A											9.7		8.8									1/2	
B											11.4	5.3		10.8								1/2	
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1030 KOLIANA ST / 94-620 KUMEPALA PL
Intersection # : 960829
Date: 3/13/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'l School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0302G	04155	0501G					
B	PSH	0302G	04155	0501G					
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A													9.2										
B														9.5									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-620 KOLIANA DL / 94-1010 KOLIANA ST
Intersection # : 9C0830
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	03026	05016	04155					
B	PSH	02039	02086	03036	05016	04086	04155		
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET

↓ MAUKA

RS



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																							
B													9.0										
C											10.8	4.0		10.0				6.4					
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

94-1030 KAUKA BLVD / UKEE ST

Cross streets:
Intersection # : 9L0831
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: OAHY
Location Priority: I. Gov'l. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	BH	0305A5	0408G	0417G	0414S				J= 1.6 P= 3.0
B	BH	0305A5	0408G	0414S					J= 3.0 P= 5.2
C	BH	0304A5	0408G	0413G					J= 1.1 P= 3.4
D	BH	0305A5	0408G	0417G	0413G				J= 3.2 P= 0.4
E	BH	0304A5	0408G	0413G					J= 0.0 P= 4.2
F	BH	0304A5	0408G	0413G					J= 4.2 P= 2.3
G	BH	0304A5	0408G	0413G					J= 1.9 P= 3.3
H	BH	0304A5	0408G	0413G					J= 3.3 P= 0.7
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1994

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	8	5-4	3	6	—	8	0	8	3.7	1.0	9.7	-4.3	16.3	8.4	0.5	-3.0	6.2	6.4	—	5 3/4	5 1/4	1/2	—
B	8	6	3	5.3	—	8	0	8	0.5	-3.0	8.0	-1.6	15.8	12.8	3.0	-5.2	-.0	6.0	—	5 3/4	5 3/4	1/2	—
C	8	5-6	3-1	6	—	8	0	8	3.5	1.1	9.0	2.6	10.5	13.5	3.0	3.2	4.9	7.3	—	5 1/2	6	1/4	—
D	8	6	3-1	5.9	—	8	0	8	3.0	3.2	9.3	-1.6	8.2	15.1	1.6	0.4	5.1	7.2	—	5 1/2	5 1/2	1/4	—
E	7-11	5-10	3-1	5-11	—	8	0	7-11	2.1	0.0	10.0	2.5	10.7	14.4	2.8	4.2	-0.3	7.9	—	5 1/2	7	1/4	—
F	7-11	6	3-1	5-8	—	8	0	7-11	2.8	4.2	10.4	-0.9	10.5	13.1	1.9	2.3	3.0	6.8	—	5 1/2	5 1/2	1/4	—
G	8+	5-11	3-1	5-11	—	8	4	8+	-0.2	-1.9	8.6	-4.4	13.5	11.2	0.5	-3.3	1.5	10.2	—	5 1/2	5 1/2	1/4	—
H	8+	6	3	6	—	8	4	8+	0.5	-3.3	7.4	-0.7	12.3	10.3	2.1	0.7	0.8	7.0	—	5 1/2	5 1/2	1/4	—
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1000 KOLIANA ST / 94-620 UKEE ST
Intersection #: 960832
Date: 3/13/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0202G	0207G	0303G	0408G	0501G			J= 4.0 P= 2.9
B	P3H	0204AJ	0408G	0415S					J= 3.8 P= 0.1
C	P3H	0304AJ	0417G	0414S					J= 2.2 P= 4.1
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

ARCHITECTURAL
STRUCTURAL
CIVIL
PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 10 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	8	4-3	3.10	3-8	—	8	0	8	2.3	4.0	4.2	2.6	6.3	11.2	2.6	2.9	4.2	5.0	—	5½	6	0	—
B	7-11	3-6	4.5	4-4	—	8	0	7-11	0.0	3.6	14.0	-1.1	13.3	9.2	6.5	0.1	7.5	7.2	4.5	6½	6½	1	—
C	8	3-4	4.4	3-6	—	8	0	8	1.1	-2.2	7.0	3.1	12.7	3.3	-2.2	1.7	7.7	2.8	—	5	7	1½	—
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-460 HEAINOA PL / 94-1070 MELE ST
Intersection #: 960833
Date: 3/13/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'l School Health Comm. Condos
II Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	02039	02079	03039	05019				
B	PSH	0304A5							
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A											11.3	3.1		11.8								1	
B														14.6									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-660 HIMENI PL / 94-1090 MELE ST
Intersection # : 9C0834
Date: 3/13/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	P3H	0304A5							
B	M1	0208G	0302G	0501G					
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A														12.4									
B												6.9		11.5									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-650 MELE PL / 94-1089 MELE ST
Intersection # : 9L0835
Date: 3/13/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'l. School Health Comm. Condos
II. (Residential) Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0304AJ							
B	PSH	0304AJ	0409R						P=9.8
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

← MAUKA

Res

94-1080
MELE
S1



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A														14.9									
B														14.4		9.8		8.3					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1470 KULEWA LP / 94-1470 WAIPIOUKA ST
Intersection # : 960836
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: [illegible]
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A									OKAY J-2.0
B									OKAY J-2.0
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																							
B													5.1										
C													2.4										
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1070 MELE ST / WAIPIOKA ST
Intersection # : 9C0837
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATH
Location Priority: I. Gov'l. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	P3H	0304A5	0408G	1004G					J= 1.3 p= 3.9
B	P3H	0304A5	0408G						J= 1.8 p= 1.9
C	M1	0203G	0302G	0408G	0501G				J= 2.2 p= 1.9
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

TOWN HOUSES



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	7-10	3-11	4-1	4	—	8	0	7-10	7.1	1.3	9.4	3.0	10.7	13.4	1.9	3.9	2.1	5.9	-1.5	6	6	0	0
B	7-11	4	4-3	3-8	—	8	0	7-11	4.1	-1.8	9.5	1.9	9.4	13.6	0.3	1.9	4.2	5.5	—	5 1/2	6 1/2	0	—
C	8	3-10	4-1	4-1	—	8	0	8	7.1	-2.2	11.9	-1.2	9.0	8.3	3.3	1.9	2.1	6.3	—	5 1/2	6	0	—
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1000 KAUKA BLVD / 94-540 PUAHI ST / WAIPIOUKA ST
Intersection #: 9L0838
Date: 3/13/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health (Comm.) Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0304A5	0408G	0414S	0421U				J = 2.4 P = 2.8
B	M1	0408G	0413G	0501X					J = 1.4 P = 5.7
C	M1	0303G	0413G	0207G					J = 3.4 P = 4.9
D	PSH	0304A5	0413G	0601G					J = 3.0 P = 3.6
E	M1	0303G	0501G	0408G					J = 1.1 P = 6.4
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	8	3-6	4	3-6	4	8	0	8	1.5	-2.4	8.2	-4.1	13.1	5.3	4.4	-2.8	4.0	5.8	3.6	5'6	5	1/4	1/2
B	8	4-4	4-2	4	4	8	0	8	1.3	-1.4	6.2	0.3	9.1	8.0	0.8	5.1	1.8	6.0	2.4	6	6	1/4	1/4
C	8+	4-11	3-3	5	—	8-10	4	7+	0.3	3.4	6.1	3.4	6.3	10.3	0.1	4.9	4.5	0.2	—	5'1/2	5'1/4	1/4	—
D	8+	4-9	2-11	5-1	—	8-8	4	8+	1.9	3.0	5.0	2.4	4.8	12.1	0.3	3.6	2.6	3.8	—	5'1/4	6	1/4	—
E	8	3-4	4-10	3-8	4	8	0	8	1.5	4.1	7.6	-1.3	10.3	5.2	1.4	-0.4	-1.6	5.4	0.9	5	5'1/2	0	0
F																							
G																							
H																							
I																							
J																							



(A) IRREGULARITIES IN ROAD

ADA Curb Ramp Recommendations Form

Cross streets: 94-50 PUAHI ST / 94-520 UKEE ST

Intersection # : 9C0839

Date: 3/13/98

Bus Stop?: Yes No

Surveyor: CATHY

Location Priority: I. Gov'tl. School Health Comm. Condos

II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0304AJ	0408G	0415S					J = 2.1 P = 1.3
B	PSH	0304AJ	0409R	0413G					J = 3.2 P = 0.2
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

ARCHITECTURAL
STRUCTURAL
CIVIL
PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	8	4	4	4	—	10-1	0	8+	1.4	-2.1	9.0	-3.6	14.9	5.5	2.1	-1.3	1.9	6.9	—	7	5/2	1	—
B	8	3-10	4-6	4-6	—	8	0	8	3.9	-3.2	9.3	-2.9	13.1	6.8	4.5	-0.2	3.0	8.6	—	5 3/4	5 3/4	1/4	—
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 94-1160 KA UKA BLVD / 94-440 UKEE ST
Intersection #: 9C0840
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: [illegible]
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0304AJ	0408G	0417G	0413G				J = 2.0 P = 1.5
B	PSH	0302G	0408G	0414S	0501G	0207G			J = 1.7 P = 6.6
C	PSH	0300AJ	0413G	0408G					J = 0.3 P = 3.5
D	PSH	0305AJ	0408G	0413G					J = 1.6 P = 0.8
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MARC 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

→ MAUKA



Intersection:																							
Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	7-10	4-10	3-3	5-4	4	8	0	7-10	0.5	-2.0	9.1	-2.2	12.5	5.1	4.2	-1.5	2.8	1.3	5.4	5 1/4	5 1/2	1/4	1/4
B	7-11	4	3	4-3	4	8	0	7-11	1.7	1.7	6.5	3.6	6.0	9.8	0.0	5.6	1.2	6.4	0.7	5 3/4	5 1/4	1/2	1/2
C	7-11	4-2	3-10	3-8	4	8	0	7-11	5.1	0.3	11.7	-0.4	9.2	14.2	2.5	3.5	1.6	5.2	0.9	5 1/2	5 1/2	1/4	1/4
D	7-11	3-6	4-8	3-7	4	8	0	7-11	0.1	-1.4	8.9	-3.3	16.5	3.8	2.7	-0.8	1.0	7.3	2.7	5 1/2	5 1/2	1/4	1/4
E																							
F																							
G																							
H																							
I																							
J																							



(D) PRIORITY → COMMERCIAL

ADA Curb Ramp Recommendations Form

Cross streets: KAU ST | UICE ST
Intersection # : 9C0841
Date: 3/13/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

lement	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0303G	0707G						J= 0.3
B	M1	0302G	0408G	0501G					P= 2.9
C	M1	0408G	0501X	0101G					J= 2.4 P= 1.4
D									P= 0.5
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	8+	4-2	3-7	4-2	—	7-4	4+	8+	2.8	-0.3	6.5	2.4	6.5	10.2	1.5	2.9	3.8	3.1	—	5½	5¼	○	—
B	8	4-4	3-9	3-10	—	8	○	8	2.8	-2.6	8.1	0.1	9.1	8.7	3.8	1.4	1.4	7.5	0.7	5	5½	○	○
C	8	3.9	4-4	4	—	8	○	8	—	—	8.0	-0.8	7.8	4.7	0.2	0.5	6.3	6.2	—	5¼	5½	○	—
D																							
E																							
F																							
G																							
H																							
I																							
J																							



(C) 1/4" DROP IN BAND

ADA Curb Ramp Recommendations Form

Cross streets: KAUKA BLVD / MOANIANI ST
Intersection # : 9C0842
Date: 3/13/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0702AJ (1)	0410R						
B	PSH	0304AJ							
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks: (1) 1' CUT IN RAMP - FILLED IN WITH AC BUT VERY ROUGH

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 13 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A												4.8	10.2					10.3					
B														13.5									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



(A) REPLACE RAMP:
ABOUT 1' GAP IN
RAMP FILLED W/ AC

ADA Curb Ramp Recommendations Form

Cross streets: AHOKELE ST / MEHEULIA PA RKWAY
Intersection # : 9C0843
Date: 3/16/98

Bus Stop?: Yes No
Surveyor: CMH
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0207G	0303G	0408G					
B	PBH	0209AJ							
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE Mar 16 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA

Rec



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					2.1		11.1				7.8					
B							4					8.5		14.5									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-230 AKULI PL / 95-1060 PAHALI ST
Intersection # : 9C0844
Date: 3/16/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0304G	0208G	0408G					
B	PSH	0209A5							
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA

95-1040
PAA 11 51



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					6.0		12.2				8.0					
B							4					8.7		12.1									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1050 PAAUI ST | 95-230 PAEHIA PL
Intersection # : 960845
Date: 3/16/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0208G	0303G	0410R					
B	PSH	0209AT	0409R						
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA

95-1050
PAALII
87



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					4.4		10.8				11.3					
B							4					13.2		12.9				9.9					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-230 AHUNALII PL / 95-1030 PAALII ST
Intersection # : 9C0846
Date: 3/16/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0208G	0409R						
B	M1	0208G	0304G	0408G					
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA

95-1030
PAALII ST



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					5.3						9.4					
B												5.6		13.2				8.2					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1020 PAAUI ST / 95-230 PAEHEU PL
Intersection #: 9C0847
Date: 3/16/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	PSH	0208G	0409R						
B	PSH	0209AS	0411R						
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA

95-1020
PAALII ST



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					7.2						8.3					
B							4					10.1		12.4				13.5					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

95-230 AAHU PL / 95-1010 PAAC11 ST

Cross streets:
Intersection # : 9C0848
Date: 3/16/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0208G	0304G	0408G					
B	PSH	0209AJ	0409R						
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET

MAUKA

95-1010
PARCEL 87



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					6.1		13.1				5.4					
B							4					12.5		13.4				9.1					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1030 KUAOA ST / 95-1000 PAALII ST
Intersection # : 960849
Date: 3/16/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl School Health Comm. Condos
II. (Residential) Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M	0208G	0304G	0408G					
B	PSH	0207G	0303G	0409R					
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					7.6	12.9					8.2					
B							4					3.0		11.4				8.8					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1000 KUAOA St / 95-2240 MEHEULA PKWY
Intersection # : 9C0850
Date: 3/16/98
Bus Stop?: Yes (No)
Surveyor: CATHM
Location Priority: I. Gov'l. School Health Comm. Condos
II. (Residential) Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0208G	0304G						
B	PSH	0209AJ	0408G						U=11.8
C	PSH	0207G	0302G	0409R					
D	PSH	0305A							P=11.3
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A					4		4					5.9		17.9									
B					4		4			11.8		8.4	12.8					6.5					
C					4		4					7.3	9.6					9.9					
D					4		4							15.7		11.3							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-940 Kuaoa St / 95-1000 Paea St.
Intersection # : 9C0851
Date: 3/16/98

Bus Stop?: Yes (No)
Surveyor: CATHM
Location Priority: I. Govt. School Health Comm. Condos (II. Residential) Rural Agricultural Parks

ement	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	P3+	0208G	0303G	0410R					
B	M1	0208G	0408G						
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET

→ MAUKA



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					7.6	11.3					11.3					
B							4					4.8						8.2					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-250 HAIKE DR / 95-1020 PAEA ST
Intersection # : 9C0852
Date: 3/16/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov/II. School Health Comm. Condos
II. Residential Rural Agricultural Parks

ement	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0207G							
B	M1	0208G							
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE Mar 16 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET

MAUKA

PLS

95-1020
PAEA 51



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					3.9											
B							4					4.5											
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1040 LAPAIKI ST / 95-1040 PAEA ST
Intersection # : 9C0853
Date: 3/14/98

Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Govt. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0208G	0302G						
B									OKAY
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					5.3		8.1									
B							4																
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1040 HALEKUA ST | 95-1050 LAPAIKI ST
Intersection # : 9C0854
ate: 3/16/98

Bus Stop?: Yes No
Surveyor: [illegible]
Location Priority: I. Gov'll School Health Comm. Condos
II. Residential Rural Agricultural Parks

ement	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M	0208G	0302G						
B	M	0208G	0302G						
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					4.3		9.0									
B							4					16.2		10.8									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-240 HALEKUA PL / 95-1050 HALEKUA ST
Intersection # : 9C0855
Date: 3/16/98

Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'l. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0208G	0303G	0408G					
B	M1	0208G	0302G	0408G					
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection: Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					10.1		10.2				10.5					
B							4					4.3		9.3				5.8					
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



(1) PRIORITY – RES

ADA Curb Ramp Recommendations Form

Cross streets: 95-1070 HALEKUA ST / 95-230 POAKAI PL
Bus Stop?: Yes (No)
Intersection # : 960856
Surveyor: CATHY
Date: 3/16/98
Location Priority: I. Gov't. School Health Comm. Condos
II. Residential Rural Agricultural Parks

ement	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0208G	0302G						
B	M1	0208G	0302G						
C									
D									
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 19 98

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:																							
Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A							4					5.6		8.8									
B							4					6.4		9.4									
C																							
D																							
E																							
F																							
G																							
H																							
I																							
J																							



(1) PRIORITY - RES

ADA Curb Ramp Recommendations Form

Cross streets: 95-1050 LEHIWA DR | 95-2190 MEHEULA PKWY
Intersection # : 940857
Date: 3/16/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0302G	0501G	0408G					
B	M1	0208G	0501Y						
C	BH	0206G	0501X	0409R					
D	M1	0207G	0501X	0408G					
E	BH	0409R	0501X						
F	BH	0208G	0409R	0501G					
G	BH	0207G	0302G	0501G	0409R				
H	M1	0207G	0408G	0501G					
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection: Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A												1.9		9.6				10.4					
B												4.0											
C												4.5						9.0					
D												3.7						6.1					
E																		9.0					
F												4.2						8.9					
G												3.7		9.6				9.0					
H												3.7						7.9					
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1140 AUINA ST | 95-1040 LUAEHU ST
Intersection # : 9L0858
Date: 3/14/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0413G	0501X						
B	M1	0208G	0501X	0701G					
C	M1	0208G	0303G	0501G	0701G				
D	M1	0206G	0501X	0701G					
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection: Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																						1/4	
B												7.7											
C												4.2	10.5										
D												6.0											
E																							
F																							
G																							
H																							
I																							
J																							



(B) 1" GAP AT FRONT OF RAMP

(C)

(D)

ADA Curb Ramp Recommendations Form

Cross streets: 95-210 KUANONI PL / 95-500 KUANONI WY
Intersection # : 9C0859
Date: 3/16/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'l. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	MI	02086	04086	0501X					
B	NB	0501X							
C	NB	0501X							
D	MI	04086	0501X						
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☒ ARCHITECTURAL
☒ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MARCH 14 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A												5.1						10.2					
B																							
C																							
D																		6.4					
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-230 KUAMONI PL / 95-1030 LUAEHU ST
Intersection # : 960860
Date: 3/16/98
Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0207G	0501X						
B	M1	0208G	0302G	0501G	0408G				
C	PSH	0304A5							
D	M1	0207G	0501G	0410R	0701G				
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 14 19 98

PROJECT _____
SHEET NO. ___ OF ___ SHEET



Intersection:																							
Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A												3.6											
B												5.7		9.2				5.3					
C												7.0		12.2									
D												3.2						11.3					
E																							
F																							
G																							
H																							
I																							
J																							



(D) 1" GAP AT FRONT OF RAMP

ADA Curb Ramp Recommendations Form

Cross streets: 95-220 LUAEHU PL / 95-1010 LUAEHU ST
Intersection # : 9C0861
Date: 3/16/98

Bus Stop?: Yes No
Surveyor: CATHY
Location Priority: I. Gov'l. School Health Comm. Condos
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	BH	0409R	0501X						
B	BH	0410R	0501X						
C	MI	0207G	0501X						
D	MI	0207G	0501X						
E									
F									
G									
H									
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A																		9.5					
B																		11.2					
C												3.2											
D												3.0											
E																							
F																							
G																							
H																							
I																							
J																							



ADA Curb Ramp Recommendations Form

Cross streets: 95-1000 KAAPEHA ST / 95-2120 MEHEULA PKWY
Intersection #: 960842
Date: 3/16/98
Bus Stop?: Yes (No)
Surveyor: CATHY
Location Priority: I. Gov'tl. School Health Comm. (Condos)
II. Residential Rural Agricultural Parks

Element	Severity	Item #1	Item #2	Item #3	Item #4	Item #5	Item #6	Item #7	Remarks
A	M1	0208G	0303G	0408G	0202G	0501G			J = 0.4 P = 2.9
B	M1	0302G	0408G	0501G					J = 2.9 P = 3.0
C	M1	0303G	0408G	0501G	0208G				J = 3.9 P = 4.1
D	M1	0207G	0302G	0408G	0501G	0601G			J = 4.1 P = 2.9
E	PSH	0302G	0409R	0417G					J = 2.9 P = 3.1
F	PSH	0304AJ	0408G						J = 3.1 P = 2.4
G	M1	0208G	0302G	0408G	0501G	0601G			J = 2.5 P = 2.4
H	M1	0208G	0408G	0501X	0601G				J = 2.4 P = 2.2
I									
J									
K									
L									

Remarks:

Wilson Okamoto Associates, Inc.

Hecker Design, Ltd.

☐ ARCHITECTURAL
☐ STRUCTURAL
☐ CIVIL
☐ PLANNING

WILSON OKAMOTO & ASSOCIATES, INC.
ENGINEERS • PLANNERS

COMPUTED BY _____
CHECKED BY _____
DATE MAR 16 1998

PROJECT _____

SHEET NO. ___ OF ___ SHEET



Intersection:

Element	a (ft-in)	b (ft-in)	c (ft-in)	d (ft-in)	e (ft-in)	f (ft-in)	g (ft-in)	h (ft-in)	i (%)	j (%)	k (%)	l (%)	m (%)	n (%)	o (%)	p (%)	q (%)	r (%)	s (%)	t (in.)	u (in.)	v (in.)	w (in.)
A	8+	3-9	3-2	4-1	—	8+	0	8+	5.0	-0.4	9.4	4.1	8.0	10.1	4.1	2.9	0.4	7.0	—	5 3/4	6 1/2	0	—
B	8+	4-1	3-7	3-3	—	8+	0	8+	4.1	2.9	6.8	-0.5	5.7	9.4	1.2	3.0	-0.3	6.9	—	6 1/4	5 3/4	0	—
C	8+	4-8	3-2	5	—	8+	0	8+	-0.6	-3.9	3.4	-5.6	10.9	0.4	1.9	-4.1	3.3	6.1	—	5 3/4	6 1/4	0	—
D	8+	4-10	2-11	4-10	—	8+	0	8+	1.9	-4.1	4.3	-3.1	9.9	2.0	2.8	-2.9	2.2	2.2	—	5 1/2	5 3/4	0	—
E	8+	4-8	3	4-3	—	8+	0	8+	-1.3	-2.9	6.4	1.2	9.3	7.1	1.1	-3.1	4.1	9.0	—	6 1/4	5 3/4	0	—
F	8+	4-6	2-6	4-1	—	8+	0	8+	1.1	-3.1	7.3	-2.1	7.4	4.0	3.4	-2.4	1.2	7.3	—	6	6 3/4	0	—
G	8+	5-2	2-7	5	—	8+	0	8+	2.6	2.5	3.9	4.0	1.9	8.7	0.3	2.6	-0.8	5.4	—	5 1/2	5 1/2	0	—
H	8+	4-11	2-9	5-2	—	8+	0	8+	0.3	2.6	3.8	4.0	0.3	7.2	-1.7	2.2	2.4	6.7	—	6	5 1/2	0	—
I																							
J